

**Stanford** | King Center on  
Global Development

China's Unconventional Nationwide CO<sub>2</sub> Emissions  
Trading System: The Wide-Ranging  
Impacts of an Implicit Output Subsidy

Lawrence H. Goulder

Xianling Long

Jieyi Lu

Richard D. Morgenstern

December, 2019

Working Paper No. 1053

NBER WORKING PAPER SERIES

CHINA'S UNCONVENTIONAL NATIONWIDE CO<sub>2</sub> EMISSIONS TRADING SYSTEM: THE  
WIDE-RANGING IMPACTS OF AN IMPLICIT OUTPUT SUBSIDY

Lawrence H. Goulder  
Xianling Long  
Jieyi Lu  
Richard D. Morgenstern

Working Paper 26537  
<http://www.nber.org/papers/w26537>

NATIONAL BUREAU OF ECONOMIC RESEARCH  
1050 Massachusetts Avenue  
Cambridge, MA 02138  
December 2019

The authors are grateful to Richard Carson, Carolyn Fischer, Charles Kolstad, Mun Ho, Valerie Karplus, Ian Parry, Billy Pizer, Jeremy Schreifels, Rob Williams, Da Zhang, Junjie Zhang, and Xiliang Zhang for helpful advice. We gratefully acknowledge financial support from the Energy Foundation-China and the China Program of the Stanford Institute for Economic Policy Research. The views expressed herein are those of the authors and do not necessarily reflect the views of the National Bureau of Economic Research.

At least one co-author has disclosed a financial relationship of potential relevance for this research. Further information is available online at <http://www.nber.org/papers/w26537.ack>

NBER working papers are circulated for discussion and comment purposes. They have not been peer-reviewed or been subject to the review by the NBER Board of Directors that accompanies official NBER publications.

© 2019 by Lawrence H. Goulder, Xianling Long, Jieyi Lu, and Richard D. Morgenstern. All rights reserved. Short sections of text, not to exceed two paragraphs, may be quoted without explicit permission provided that full credit, including © notice, is given to the source.

China's Unconventional Nationwide CO<sub>2</sub> Emissions Trading System: The Wide-Ranging Impacts of an Implicit Output Subsidy

Lawrence H. Goulder, Xianling Long, Jieyi Lu, and Richard D. Morgenstern

NBER Working Paper No. 26537

December 2019

JEL No. H23,Q43,Q48,Q5,Q54

**ABSTRACT**

China is planning to implement the largest CO<sub>2</sub> emissions trading system in the world. To reduce emissions, the system will be a tradable performance standard (TPS), an emissions pricing mechanism that differs significantly from the emissions pricing instruments used in other countries, such as cap and trade (C&T) and a carbon tax. We employ matching analytically and numerically solved models to assess the cost-effectiveness and distributional impacts of China's forthcoming TPS for achieving CO<sub>2</sub> emissions reductions from the power sector.

We find that the TPS's implicit subsidy to electricity output has wide-ranging consequences for both cost-effectiveness and distribution. In terms of cost-effectiveness, the subsidy disadvantages the TPS relative to C&T by causing power plants to make less efficient use of output-reduction as a way of reducing emissions (indeed, it induces some generators to increase output) and by limiting the cost-reducing potential of allowance trading. In our central case simulations, TPS's overall costs are about 47 percent higher than under C&T. At the same time, the TPS has distribution-related attractions. Through the use of multiple benchmarks (maximal emission-output ratios consistent with compliance), it can serve distributional objectives. And because it yields smaller increases in electricity prices than a comparable C&T system, it implies less international emissions leakage.

Lawrence H. Goulder  
Department of Economics  
Landau Economics Building 328  
Stanford University  
Stanford, CA 94305  
and NBER  
goulder@stanford.edu

Xianling Long  
Department of Management Science  
& Engineering  
Stanford University  
Stanford, CA 94305  
xianling@stanford.edu

Jieyi Lu  
Yale School of Forestry &  
Environmental Studies  
195 Prospect St.  
New Haven, CT 06511  
jieyi.lu@yale.edu

Richard D. Morgenstern  
Resources for the Future  
1616 P Street, NW  
Washington, DC 20036  
morgenstern@rff.org

A data appendix is available at <http://www.nber.org/data-appendix/w26537>

## 1. Introduction

China has embarked on what promises to be the world's largest carbon dioxide (CO<sub>2</sub>) emissions trading system (ETS). When fully implemented, this nationwide system will more than double the amount of CO<sub>2</sub> emissions covered worldwide by some form of emissions pricing.

China will rely on a tradable performance standard (TPS) as its emissions pricing instrument for reducing emissions. This mechanism differs in important ways from the emissions pricing instruments used in other countries, such as cap and trade and a carbon tax. A TPS is a rate-based instrument: the number of emissions allowances granted to a facility depends on the ratio of its emissions to output over the compliance period. Since compliance depends on a ratio, covered facilities can influence their allowance allocations by changing their output levels during the compliance period. In contrast, under cap and trade (C&T), a covered facility's allocation of allowances is not influenced by within-period production changes. The dependence under the TPS of the allowance allocation on within-period output decisions has important implications for incentives and associated system performance. It significantly affects production levels, overall emissions abatement, and the levels and distribution of costs.

This paper employs matching analytically and numerically solved models to evaluate China's new TPS, focusing on the impact on the nation's power (electricity) sector, the first sector to be covered by the TPS.<sup>1</sup> The power sector includes more than 2,000 coal-fired power plants and is critical to China's climate policy effort, as it currently accounts for over 40 percent of the country's total CO<sub>2</sub> emissions (Yang and Lin, 2016). The sector has been undergoing virtually continuous reform since 1985, when the state monopoly ended (Ho *et al.*, 2017). While electricity prices were set by the government a decade ago, recent reforms allow for market-determined prices of production. The electricity output sold at market prices has grown steadily over the last decade and is now almost one third of the total.

We apply the two models to assess the TPS's impact on the production costs and CO<sub>2</sub> emissions of power plants of differing technologies, as well as its implications for aggregate costs (lost producer and consumer surplus) and aggregate emissions reductions. We also examine how

---

<sup>1</sup> Ultimately, the TPS will cover nine major sectors. The cement and aluminum sectors are next in line to be covered, to be followed by iron & steel, nonferrous metals, petroleum refining, chemicals, pulp and paper, and aviation. China's TPS design calls for emissions trading across all facilities and all covered sectors.

costs are distributed across different types of power plants and regions of the country. Throughout, we compare the TPS's impacts with those of a C&T program with similar coverage and achieving the same economy-wide emissions reductions.

The TPS's rate-based approach, according to which compliance requires avoiding exceeding a given ratio of emissions to output, contrasts with the mass-based approach of C&T, under which compliance requires avoiding exceeding a given level (mass) of emissions. Under a TPS, the number of emissions allowances the regulator offers to a facility in each compliance period is the product of the maximum emissions-output ratio (or benchmark) assigned to the facility and the facility's level of output in that period.<sup>2</sup> Fischer (2001) and Fischer and Newell (2008) have shown that a rate-based system like the TPS implicitly subsidizes output, since additional output increases the number of (valuable) allowances a facility will receive from the regulator. These authors point out that because of this implicit output subsidy, a TPS tends to be less cost-effective than an equivalent C&T system.<sup>3</sup>

Our analytical model builds on this earlier theoretical work by identifying three channels of impact that do not apply under C&T. All three channels stem from the implicit output subsidy under the TPS. First, we explore the implications of multiple (i.e., varying) benchmarks – an important feature of China's planned TPS. Differing benchmarks can help serve distributional goals, since higher (that is, less stringent) benchmarks can be assigned to facilities that otherwise would face especially high compliance costs. Our theoretical model shows that greater variation of benchmarks, while addressing distributional goals, reduces cost-effectiveness (that is, raises the cost of achieving any given aggregate emissions-reduction target), other things equal. Greater

---

<sup>2</sup> More precisely, a rate-based system's benchmarks are the assigned emissions-output ratios that covered facilities must not exceed, after adjusting for any emissions credits purchased on the allowance trading market.

<sup>3</sup> In keeping with its rate-based nature, the TPS is sometimes referred to as an example of an intensity-based standard. It is equivalent to a subsidy to output and tax on emissions. Other examples of intensity standards include clean fuel standards and clean energy standards. In contrast with the TPS, which is an *output*-oriented intensity standard (since it focuses on the emissions intensity of output), clean fuel standards and clean energy standards are *input*-oriented. In these cases the tax component of the tax-subsidy combination applies to the fuel or energy input rather than pollution emissions. Studies by Kerr and Newell (2003), Fischer and Newell (2008), Holland *et al.* (2009), Parry and Krupnick (2011), Goulder, Hafstead, and Williams (2016), and several others address the efficiency properties of fuel and energy intensity standards. A feebate is another intensity-based standard, in which the subsidy applies to facilities with performance better than (below) the standard, and the tax applies to facilities with emission intensities above the standard. In contrast with the TPS, in which both the tax and subsidy apply to all covered facilities, a feebate involves no output subsidy to facilities that fail to meet the standard, and no tax on facilities that exceed the standard. Parry and Krupnick (2011) assess the economic properties and potential political attractions of this instrument. Fullerton and Metcalf (2001), Goulder and Parry (2008), Parry *et al.* (2016), and Metcalf (2019) compare the incentive effects and efficiency implications of a range of instruments, including intensity standards and cap and trade.

benchmark variation increases costs because it alters the relative magnitudes of the implicit output subsidies across covered facilities and thereby distorts the relative outputs of these facilities. Cap and trade also can employ multiple benchmarks for determining the initial allocations of emissions allowances across covered facilities and thereby affect the distribution of policy costs. But in contrast with the TPS, the use of multiple benchmarks under C&T does not reduce cost-effectiveness. Because a typical C&T program does not include the output subsidy,<sup>4</sup> the extent of benchmark variation across facilities (holding total number of allocated allowances fixed) does not affect decisions at the margin; it only has distributional consequences.

A second contribution of the theoretical model is to reveal that the implicit subsidy reduces gains from allowance trading. Under C&T, covered facilities minimize their costs by trading allowances until their marginal abatement costs equal the common allowance price. This maximizes the cost-savings from trading, as it implies equality of marginal abatement costs across facilities. Under the TPS, in contrast, a facility will minimize its costs by trading until its marginal abatement costs equal the *net-of-subsidy* allowance price. In Section 4 below we show that the net-of-subsidy price generally differs across facilities, as it depends on technologies that differ across facilities. Thus, allowance trading does not achieve equality of marginal abatement costs across facilities, and gains from trades are compromised. As Section 4's analysis indicates, this compromise occurs even in the case where the TPS applies the same benchmark to all covered facilities.

In addition, the analytical model reveals that, compared with C&T, the TPS makes less efficient use of electricity output-reduction as a way of reducing emissions. This is a critical factor underlying the lower cost-effectiveness of the TPS. Under the TPS, covered facilities with relatively low emissions-output ratios will tend to *increase* both electricity output and emissions relative to their business-as-usual levels. This contrasts with C&T, which generally motivates all covered facilities to reduce both output and emissions.<sup>5</sup> The differences between the TPS and C&T in cost-effectiveness are greater, the wider the differences across power plants in their initial emissions-output ratios.

---

<sup>4</sup> In Section 3 we address the case where C&T offers output-based allocation for certain covered facilities. In that case, the magnitude of a benchmark influences cost-effectiveness.

<sup>5</sup> As discussed in Section 4, C&T generally leads to increases in electricity prices, and this exerts a positive influence on facilities' output and emissions. We show analytically that for some facilities, it is possible for this effect to be large enough to cause them to increase output and emissions. However, our numerical simulations indicate that this price effect is second-order and that nearly all facilities reduce output and emissions under C&T.

Our numerical model yields results consistent with the analytical model's predictions, supplementing the qualitative results of the theoretical model with a unique quantitative assessment closely geared to China's power sector.<sup>6</sup> Key findings of the numerical model are as follows.

First, this model finds that the TPS involves higher economy-wide costs than a C&T program of the same stringency and scope, a reflection of the TPS's implicit output subsidy.<sup>7</sup> Consistent with the analytical findings, in the numerical model the TPS causes some generating units to expand output, while C&T induces most or all units to reduce output. The less efficient use of the output-reduction channel contributes to the TPS's higher costs. In our central case simulation, under a 3-benchmark TPS (an option under consideration by Chinese policy planners) the TPS would yield a 3.1 percent reduction in aggregate CO<sub>2</sub> emissions. This reduction could be achieved at 47 percent lower private cost under a C&T program with similar allowance allocations.

Second, the TPS's economy-wide costs rise substantially with the number and variability of benchmarks. A 3-benchmark TPS has 18 percent higher private cost per ton of reduced emissions, compared to a single-benchmark TPS with the same number of allowances initially allocated. Greater variation of benchmarks implies higher costs both by distorting the relative contributions of different facilities to emissions reductions and by reducing the potential gains from allowance trading.

Third, the distributional impacts of the TPS differ significantly from those under C&T. As discussed, reductions in electricity output contribute a much smaller share to overall emissions reductions under the TPS than under C&T. The less extensive reductions in output imply smaller increases in electricity prices<sup>8</sup> than under C&T. As a result, electricity producers (consumers) bear a larger (smaller) share of the overall economic burden under the TPS than under C&T.

Fourth, the TPS has very different cost-impacts across the Chinese provinces, reflecting differences in technologies and emissions intensities of the generators and the associated

---

<sup>6</sup> This quantitative analysis complements a number of recent empirical studies of China's efforts to reduce CO<sub>2</sub> emissions through emissions trading. See, for example, Duan and Zhou (2017), Ho, Wang, and Yu (2017), Teng, Jotzo, and Wang (2017), Karplus and Zhang (2017), and Zhang, Wang, and Du (2017). Our numerical model is unique in its sharp focus on the incentive effects of the TPS and its ability to yield a close comparison of the impacts of the TPS and C&T.

<sup>7</sup> Other factors can mitigate the potential disadvantages of rate-based approaches such as the TPS. Goulder, Hafstead, and Williams (2016) show that pre-existing distortionary taxes can reduce and sometimes eliminate the potential cost-disadvantage of a clean energy standard relative to cap and trade or an emissions tax.

<sup>8</sup> As noted earlier and discussed further in Section 4, a considerable share of China's electricity prices is now market-determined. Our models account for both government-controlled and market-determined prices.

differences in compliance costs. Under the 3-benchmark central case specification for the TPS, among the generating units that experience the largest percentage losses in profit are those in provinces in the northern and northeastern regions of the country. We consider an alternative, 4-benchmark policy specification designed to avoid the large cost-impacts in these provinces. In this case, the technologies on which these regions disproportionately rely, and which involve especially high emissions intensities, are given less stringent benchmarks. We find that achieving the distributional objective lowers profits in other regions of the country and increases aggregate policy costs.

Although the TPS is less cost-effective than C&T, it has important offsetting attractions. One is that the TPS's rate-based structure causes policy stringency to adjust automatically in response to current macroeconomic conditions. When the economy is booming, and demand for electricity is relatively high, the expanded output of electricity entitles generators to a larger number of allowances, since allowance allocations are a function of output. Cap-and-trade programs do not have this attribute.

A second potential attraction is that the TPS implies smaller electricity price increases than would occur under an equally stringent C&T program. Smaller price increases suggest less "emissions leakage" – offsetting increases in emissions stemming from shifts in production across jurisdictions. To the extent that regulation of China's pollution raises the prices of China's goods relative to foreign goods, consumers could shift toward imports, potentially offsetting the pollution-reduction goals of the domestic regulation. Thus, to the extent that the TPS yields smaller price increases than C&T, emissions leakage can be reduced.<sup>9</sup> Smaller price increases might also have some political attractions.

A third attraction is familiarity. The TPS's rate-based structure matches that of several of the previous provincial- and regional-level pilot programs for reducing CO<sub>2</sub> emissions. The structure also is in line with other rate-based regulations with which China is familiar.

Despite its higher overall economic costs, the TPS can generate significant aggregate gains once environmental benefits are accounted for. In our central case, the environmental benefits

---

<sup>9</sup> In China, relatively little electricity is imported. In 2016, imports represented about 0.1 percent of electricity consumed. Hence the smaller price increases from the TPS relative to the increases under C&T would not likely make much difference in terms of imports of electricity. However, the TPS would also lead to smaller price increases of downstream goods and services, and this could imply less leakage in the form of shifts to imported downstream goods. The issue of leakage is likely to be more important in the later phase of China's TPS program, when coverage is extended eight industrial sectors, including sectors in which domestic production faces more competition from imports. Fowlie and Reguant (2018) address theoretical and empirical challenges associated with the measurement of leakage.



from the TPS exceed the policy costs by nearly a factor of three when emissions reductions are valued at 290 RMB (or about 44 U.S. dollars) per ton.

These issues have significance in other contexts. In many countries, policy makers are making critical choices about whether to adopt a rate-based or a mass-based approach to pollution control. The results shown here for China are highly relevant to their choices.

The rest of the paper is organized as follows. The next section briefly describes key features of the power sector. Section 3 then presents the basic structure of China's TPS program. Subsequent sections examine analytically and numerically the potential impacts of the program. Section 4 develops and applies an analytical model to assess qualitatively the overall cost and distributional impacts of the TPS, and compares these impacts with those under C&T. Section 5 lays out the structure, inputs, and solution method of the numerical model. Section 6 then applies the numerical model to assess the cost-effectiveness and distributional impacts of the TPS and C&T. Section 7 offers conclusions.

## **2. Key Features of the Electricity Sector**

Almost 72 percent of electricity produced in China's power sector comes from its fossil-based plants.<sup>10</sup> The sector contained 2,392 coal-fired, circulating fluidized bed, and natural-gas-fired generating units in 2016. Table 1 groups the the units into three main technology categories – coal-fired units other than circulating fluidized be units, circulating fluidized bed units, and gas-fired units – and into 11 more specific technology classifications. The table also provides information on outputs, costs and CO<sub>2</sub> emissions intensities for the different technologies.

Among these units, the 300 MW subcritical coal units account for the largest share of electricity production and CO<sub>2</sub> emissions. The 600 MW supercritical coal units, which operate at a slightly lower emissions intensity, are the second largest producers of electricity and CO<sub>2</sub> emissions. As one might expect, the quite limited gas-fired capacity has much lower emissions per mWh.

---

<sup>10</sup> About 20 percent, 4 percent, 4 percent, and 1 percent of electricity production is hydropower, nuclear power, wind power, and solar power, respectively (“Annual Statistics of China Power Industry 2016,” *China Electricity Council*, March 21, 2018, <http://www.cec.org.cn/guihuayutongji/tongjixinxi/niandushuju/2018-03-21/178791.html>).

Regulations imposed by the central government affect electricity output decisions and pricing. For almost every generating unit, the pattern in recent years is that some of the unit's electricity output is sold at prices fixed by the government while some is sold at market prices. Generating units can choose levels of production, but a three-tiered system determines the prices at which the production can be sold.<sup>11</sup> The first tier applies to electricity output up to the amount associated with a government-assigned number of “guaranteed annual utilization hours” of operation. The second tier applies to production in excess of the guaranteed-hours (GH) level and up to another level set by the government. Electricity production within the first tier is sold locally at an administered price, while electricity production within the second tier is sold within a larger production zone, also at an administered price. The administered prices for the two tiers of production differ.

We refer to third-tier production as electricity output beyond the second-tier level. This output is sold at market prices. The principal markets are a “residual local market,” to which the generators in the unit's province are the main suppliers, and a “zonal” market, to which units in the several provinces in a given zone contribute. The main purchasers in the zonal market are grid companies.<sup>12</sup> As discussed further in Section 6, the market prices generally are below the fixed prices. Forward markets exist for both the residual local and the zonal markets.

A decade ago, nearly all production was in the first or second tier and therefore faced fixed prices. However, the situation has changed in recent years. In 2018, almost one-third of the electricity consumed in China was sold at market-clearing prices.<sup>13</sup> The increased importance of market prices reflects the gradual narrowing of the first and second tiers as well as the significant growth in total electricity demand. These developments are consistent with the central government's efforts to expand the role of market-driven prices in the power sector.

Thus, the nature of China's regulation of the power sector implies that individual generators may choose endogenously their production levels, while their ability to sell output at market prices depends on their production levels. These aspects are captured in our models.

---

<sup>11</sup> See Kayrl *et al.* (2016) and Ho *et al.* (2017).

<sup>12</sup> Starting in 2017, some provinces allow private power retailers and large electricity consumers to enter the residual local markets and zonal markets. And as of 2018, consumers from coal, steel, non-ferrous, and building material sectors can purchase all of their electricity in the markets.

<sup>13</sup> Department of Industrial Development and Natural Resources, “An Analysis of National Electricity Trading in 2018”, *China Electricity Council*, March 4, 2018, <http://www.cec.org.cn/guihuayutongji/dianligaige/2019-03-04/189190.html> (accessed November 16, 2019).

### 3. Structure of the TPS

Allowance trading, a central feature of both tradable performance standards and cap and trade programs, promotes a reallocation of abatement activity, leading to greater effort by facilities that can reduce emissions at lower cost. This helps reduce the economy-wide cost of achieving aggregate emissions reductions. China's system allows for trading across regions in the power sector. It is expected that the system will allow for intersectoral trading once it is broadened to be extended beyond the power sector.

In the first two trading periods of the EUETS, which spanned the period 2005-2012, free allowances were given to individual facilities on the basis of their historical emissions. More recently, the trading programs in California and Quebec, as well as the revised third-period program in the EUETS, have relied on benchmarking, according to which the number of allowances received by a facility is based on a technology- or industry-specific emissions-output ratio rather than on historical levels of emissions.

A key difference between C&T and China's TPS relates to the allocation of emissions allowances. Under C&T, in most cases each covered facility's allowance allocation at a given point in time is exogenous to the firm. The number of allowances a firm receives is the product of the pre-established benchmark emissions-output ratio and some fixed reference quantity (usually an historical level of production). To achieve compliance, a facility's emissions, minus any allowances it purchases from other facilities, must not exceed this product.<sup>14</sup>

There are some exceptional cases where the allocation under C&T is endogenous. This occurs where C&T offers "output-based allocation" to certain facilities. Under output-based allocation, a facility's allocation in a given period is the product of the benchmark and the facility's output in the previous period. In this case, a firm's output choice in a given period affects its allocation in the next period, and thus the allocation is endogenous to the firm, although the impact on the allowance allocation comes with a one-period lag. In the EU-ETS, California's C&T, and some other C&T systems, output-based allocation has been applied to certain firms in

---

<sup>14</sup> Some ETSs include provisions that allow entities to borrow the allowances that it has been promised for future compliance periods, or bank some of its current allowances for use in future periods. In this case, aggregate emissions can exceed (if there is net borrowing) or must fall short of (if there is net banking) the sum of currently issued allowances. When there are provisions for intertemporal borrowing or banking of allowances, the effective cap is on cumulative emissions, and this cap is equal to the sum of the allowances introduced over time.

the manufacturing sector that are designated as the most “emissions-intensive trade-exposed” and thus the most vulnerable to import-competition. Output-based allocation is a way of helping these firms compete internationally: it effectively subsidizes output, since additional output leads to larger allocations of allowances.<sup>15</sup> In practice, output-based allocation tends to be applied only to a small subset of covered firms and generally not to the power sector.<sup>16</sup>

In contrast with C&T, under China’s nationwide TPS the allocation of allowances to each covered facility is endogenous within each compliance period; it depends on the product of the benchmark  $\beta_i$  assigned to each generator  $i$  and the level of electricity output  $q_i$  chosen by the generator in that period. Because the number of allowances allocated to each generator is endogenous, the aggregate emissions associated with the government-chosen benchmarks is endogenous as well. Thus, unlike C&T, under the TPS the regulator will not know the total number of allowances to be issued and the aggregate level of emissions until the end of the compliance period, after firms’ production decisions over the period have been made.<sup>17</sup> Reflecting the differences in structure, C&T systems are categorized as *mass-based*, since in each period the regulator sets the aggregate level (or total mass) of emissions, while the TPS is categorized as *rate-based*, since the regulator sets emissions intensities but not total emissions.

China plans to allocate allowances through a two-step process. At the start of the compliance period, a covered facility receives a number of allowances equal to the product of its designated benchmark emissions-output ratio,  $\beta$ , an “initial allocation factor,”  $\alpha$ , and some measure of output,  $q_0$  (e.g., a recent level of production).<sup>18</sup> The second step in the process comes

---

<sup>15</sup> Haites (2003), Fowlie (2012), Fischer and Fox (2012), and Fowlie *et al.* (2016) offer excellent discussions of output-based allocation.

<sup>16</sup> Californis’s ETS does not apply output-based allocation to the power sector. The EU ETS applies such allocation to the power sector only in a few exceptional cases.

<sup>17</sup> In C&T systems that include some output-based allocation, the total number of allowances to be issued – the aggregate cap – is set in advance and remains exogenous. Although firms enjoying output-based allocations can affect their allocations through changes in output, these changes do not alter each period’s total allocations. Increased allocations to firms enjoying output-based allocation correspond to reductions in allocations to other firms. Thus, the aggregate cap does not change.

<sup>18</sup> At the time of this writing, China has not yet specified the value it will employ for  $\alpha$ , although a 0.6 value has been widely discussed. With a value of 0.6 for  $\alpha$ , the facility would initially receive 60 percent of the allowances it would need to justify the emissions-output ratio  $\beta$  if its level of output did not change from  $q_0$ . It is theoretically possible for a facility to receive more allowances at the beginning of the period than the amount it is will be entitled to have received by the period’s end. This happens when end-of-period output is lower than  $\alpha q_0$ . This could put the government in an awkward position at the end of the compliance period of needing to take away from the facility some of the allowances it had given out at the beginning of the period. It appears that the program will utilize a value for  $\alpha$  sufficiently below 1 to make it unlikely that the government would encounter this problem with any facility that

at the end of the compliance period, at which time a covered entity receives the quantity of additional allowances needed to bring its total allocation into conformity with the sector-specific benchmark emissions-output ratio.<sup>19</sup>

The extent to which China's program will reduce CO<sub>2</sub> emissions depends crucially on the choice of benchmarks. Currently, Chinese planners are considering employing three benchmarks for the power sector. These benchmarks apply to three technology *categories*: coal-fired, circulating fluidized bed (CFB), and gas-fired units.<sup>20</sup> We use the term "technology *class*" to refer to more specific technology types. The Ministry of Ecology and Environment distinguishes the 11 technology classes and the three technology categories shown in Table 1. We use the same groupings in applying benchmarks in the numerical simulations below.

This section emphasizes three key aspects of the structure of China's forthcoming nationwide ETS. First, the program will authorize trading of emissions allowances across regions and (once it expands beyond the power sector) across sectors. Second, in contrast with a C&T system, under the TPS the number of allowances allocated to a covered facility depends on the facility's chosen production level over the compliance period. Thus, the number of allowances allocated is endogenous to firms' production decisions and the aggregate number of allowances introduced in any given compliance period – the aggregate cap – is endogenous as well. Third, the planners seem to be centering on employing three benchmarks in the first (power-sector) phase of the program, one for each of three main technology categories. Differential benchmarking offers a channel for achieving distributional goals. At the same time, as indicated below, it can compromise cost-effectiveness.

The next section develops an analytical model to examine the impacts of the TPS in the power sector and to contrast these impacts with those of C&T. The subsequent two sections present the structure of and results from the corresponding numerical model.

---

remains in operation. As discussed below, any facility that shuts down during the compliance period must relinquish its allowances.

<sup>19</sup> In fact, each province has the option of reducing the allocation of allowances to facilities within the province if it wishes to make the program more stringent locally. The Ministry of Ecology and Environment sets national benchmark emissions-output ratios, but the provincial government can reduce them. It is also our understanding that the central government will also offer "reserve allowances" to governments in some low-income provinces, additional allowances that these governments can allocate according to their own chosen criteria.

<sup>20</sup> Historically, benchmarks have reflected technological, economic and institutional factors. In California's cap-and-trade system, uniform benchmarks are set for all facilities in an industry at the emissions rate corresponding to the best (i.e., lowest) decile emissions-output ratio experienced historically among facilities in the industry.

## 4. Impacts of the TPS: An Analytical Treatment

In the presence of the TPS, managers of a generating unit need to make several interconnected decisions. One is whether to remain in operation or shut down. Generators that remain in operation need also to decide how much electricity to produce and how much to reduce the emissions intensity of production. These decisions depend on the stringency of the benchmark applied to the generating unit, the price of emissions allowances, and the administered and market prices of electricity. The analytical model considers these elements. For transparency, this model assumes does not separate the tier 1 and tier 2 administered prices (we refer to this simply as the “tier 1 price”) and does not separate the residual and zonal electricity markets. The key insights from this model are preserved in the results from the more disaggregated numerical model.

### a. Net Revenue, Conditional on Remaining in Operation

Let:

- $q_{ij}$   $\equiv$  total end-of-period electricity output of generator  $i$  in technology class  $j$
- $\bar{q}_{ij}$   $\equiv$  guaranteed-hour electricity output of generator  $i$  in technology class  $j$
- $e_{ij}$   $\equiv$  CO<sub>2</sub> emissions by generator  $i$  in technology class  $j$
- $C_{ij}$   $\equiv$  total cost of production by generator  $i$  in technology class  $j$
- $\bar{p}_{ij}$   $\equiv$  administered wholesale price applying to first-tier production of electricity by generator  $i$  in technology class  $j$
- $p_{ij}$   $\equiv$  market equilibrium wholesale price applying to electricity output by generator  $i$  in technology class  $j$  in excess of first-tier production
- $\beta_j$   $\equiv$  benchmark emissions-output ratio assigned to generators in technology class  $j$
- $t$   $\equiv$  market price of emissions allowances

Consider first the choices of a generating unit conditional on its remaining in operation. The generator's<sup>21</sup> choice variables are  $q$  and  $e$ . Net revenue  $\pi$  for operating generator  $ij$  is given by:

$$\pi_{ij} = \bar{p}_{ij}\bar{q}_{ij} + p_{ij}(q_{ij} - \bar{q}_{ij}) - C(q_{ij}, e_{ij}) - t(e_{ij} - \beta_j q_{ij}) \quad (1)$$

---

<sup>21</sup> For brevity, we will let “generator” refer to both the physical unit and the unit’s decision-maker (manager). The intended reference will be clear from the context.

The first right-hand term in (1) is the revenue from production of electricity up to  $\bar{q}_{ij}$ , the highest level of output subject to the administered tier 1 price  $\bar{p}_{ij}$ . The second right-hand term is the revenue from electricity output in excess of  $\bar{q}_{ij}$ . The third and fourth terms refer to total production cost and the expense or revenue associated with allowance purchases or sales. We assume  $\partial C_{ij} / \partial q_{ij} > 0$  and  $\partial C_{ij} / \partial e_{ij} < 0$ . We also assume that each generator's objective is to maximize net revenue.<sup>22</sup> For simplicity of exposition, equation (1) and subsequent equations in this section reflect the assumption that  $q_{ij} > \bar{q}_{ij}$ . This is the most frequent case in our data. In the infrequent cases where  $q_{ij} < \bar{q}_{ij}$ ,  $p_{ij}$  replaces  $\bar{p}_{ij}$  throughout.<sup>23</sup>

The endogeneity of  $q_{ij}$  in the far-right term in (1) is critical to the impact of the TPS. To be in compliance, the generating unit's ultimate (end-of period) allocation of allowances  $\beta q_{ij}$ , plus (minus) any allowances it purchases (sells) on the trading market, must be at least enough to justify its emissions during the period. The far-right term in (1) represents the additional needed purchases (or potential sales) of allowances consistent with compliance.

Let  $u_{ij} (\equiv e_{ij} / q_{ij})$  represent the generator's end-of-period emissions-output ratio.<sup>24</sup> Then we can rewrite the far-right term as  $t(u_{ij} - \beta_j)q_{ij}$ . In the absence of purchases of additional allowances, a unit that produces output  $q$  will be in or out of compliance depending on whether its emissions-output ratio is less than or greater than  $\beta_j$ .

Let  $u_{ij0}$  represent the generator's beginning-of-period emissions-output ratio. A generator with  $u_{ij0} > \beta_j$  can come into compliance by purchasing additional allowances, reducing its emissions rate, or both. A generator with  $u_{ij0} < \beta_j$  will not need to purchase allowances<sup>25</sup> and will benefit from the sale of its excess allowances. Indeed, once a generator with an initial emissions ratio less than  $\beta_j$  has achieved its optimal emissions ratio, its best option is to sell its excess

---

<sup>22</sup> See Ho *et al.* (2017). This assumption seems reasonable for the approximately 50 percent of the generators that are privately owned.

<sup>23</sup> Thus, when  $q_{ij} < \bar{q}_{ij}$ , the equation for net revenue reduces to  $\pi_{ij} = \bar{p}_{ij}q_{ij} - C(q_{ij}, e_{ij}) - t(e_{ij} - \beta_j q_{ij})$ . This squares with the fact that in this case  $\bar{p}$ , not the endogenous price, is the price that applies to each unit of electricity sold.

<sup>24</sup> By "end-of-period" emissions-output ratio we mean the ratio of cumulative emissions to cumulative output over the compliance period. This is the ratio relevant to ascertaining compliance.

<sup>25</sup> This assumes the generator does not increase its emissions-output ratio during the compliance period enough to cause its ratio to exceed  $\beta$ . There is no reason to expect this to occur, since the TPS gives all generators incentives to reduce their emissions-output ratios, as discussed below.

allowances, since such allowances have no other beneficial use for the facility; selling them involves no opportunity cost.<sup>26</sup>

This suggests some of the potential distributional implications of the TPS. Generators in the  $u < \beta$  category can benefit from the TPS by selling their excess allowances, while generators in the  $u > \beta$  category face compliance costs, as they will need to reduce emissions intensity and/or purchase additional allowances to come into compliance.<sup>27</sup> Below we explore further the distributional impacts and consider the cost-effectiveness dimension.

### *b. The Shutdown Decision*

In considering whether to shut down, the generator will compare the revenue from continued operation with the revenue associated with shutting down. In the case of shutting down, the revenue consists solely of the liquidation value<sup>28</sup> of the abandoned capital. Note that the generator's owners cannot earn additional revenue by selling any of the allowances it was allocated at the beginning of the compliance period; the program requires that such allowances be returned to the government.

It is useful to rewrite (1) as:

$$\pi_{ij} = p_{ij}q_{ij} + (\bar{p}_{ij} - p_{ij})\bar{q}_{ij} - C(q_{ij}, e_{ij}) - t(e_{ij} - \beta_j q_{ij}) \quad (2)$$

This expression divides the gross revenue from electricity production into  $p_{ij}q_{ij}$ , a component that depends on  $q_{ij}$ , the level of production, and  $(\bar{p}_{ij} - p_{ij})\bar{q}_{ij}$ , a fixed component.<sup>29</sup> The fixed component is the revenue associated with output up to the maximal level to which the administered

---

<sup>26</sup> The National Development and Reform Commission 2017 document, *Guidelines of National Carbon Emissions Trading System (Power Generation Sector)*, did not include provisions for intertemporal banking or borrowing of emissions allowances. Correspondingly, the model assumes no such provisions. As a result, the allowances available to generators needing additional allowances are restricted to the excess allowances offered by the generators with  $u_{ij} < \beta_j$ . In China's pilot trading programs, intertemporal borrowing was not permitted, although intertemporal banking was an option.

<sup>27</sup> Although China's TPS does not cover renewable sources of electricity such as wind and solar, it will encourage production from these sources by increasing the cost of supplying fossil-based generated electricity. A further boost to renewables production would occur if the TPS were to cover these sources, since presumably these sources would have emissions-output ratios well below the benchmarks and thus could benefit significantly by selling excess allowances.

<sup>28</sup> In discussions with the ETS planners, we have learned that the market for abandoned electricity generation capital is quite limited, so that the liquidation value is very low. Also, it should be noted that in this one-period model, the relevant "liquidation value" is the avoided one-period rental on the capital that is no longer employed.

<sup>29</sup> Note that  $p_{ij}$  as well as  $\bar{p}_{ij}$  and  $\bar{q}_{ij}$  are exogenous to the individual generator.



first tier price applies. This revenue is inframarginal. It affects the level of profit and the shutdown decision, but because it is inframarginal it does not affect the optimal level of production for firms that do not shut down. Recall that the equations in this section assume  $q_{ij} > \bar{q}_{ij}$ . When  $q_{ij} < \bar{q}_{ij}$ , the corresponding profit equation is  $\pi_{ij} = \bar{p}_{ij}q_{ij} - C(q_{ij}, e_{ij}) - t(e_{ij} - \beta_j q_{ij})$  and  $p_{ij}$  is the price at the margin.

From (2), a generator will remain in operation if and only if

$$pq + (\bar{p} - p)\bar{q} - C(q, e) - t(e - \beta q) > L \quad (3)$$

where  $L$  represents the liquidation value (subscripts have been suppressed for convenience).

We can rewrite (3) as

$$pq + (\bar{p} - p)\bar{q} - C(q, e) - L > te - t\beta q \quad (4)$$

Define  $\hat{t}$  as the allowance price  $t$  that equates the left-hand and right-hand sides of (4):

$$\hat{t} = \frac{pq + (\bar{p} - p)\bar{q} - C(q, e) - L}{e - \beta q} \quad (5)$$

$\hat{t}$  is a critical value of  $t$ : the generator will shut down or remain in operation depending on whether the allowance price is above or below this value. Other things equal,  $\hat{t}$  will be lower for generators facing a lower (more stringent)  $\beta$ : they will shut down first.<sup>30</sup>

### c. Equilibrium Conditions

#### 1. The Allowance Price

Let  $RP_j$  refer to the set of generators in technology class  $j$  that *remain* in operation and *purchase* allowances – the generators in technology class  $j$  with  $u_{ij} > \beta_j$  (or equivalently,  $e_{ij} > \beta_j q_{ij}$ )

---

<sup>30</sup> Under cap and trade, the expression for profit is  $\pi = pq - C - t(e - a_0)$ , where  $a_0$  represents the facility's allocation of (free) allowances. From this it follows that under cap and trade,  $\hat{t}$  is equal to  $(pq - C - L) / (e - a_0)$ . A larger initial allocation of free allowances raises  $\hat{t}$ .

for which condition (3) above is satisfied. Then the total market demand for allowances,  $D(t)$ , is expressed by:

$$D(t) = \sum_j \sum_{i \in RP_j} (u_{ij} - \beta_j) q_{ij} \quad (6)$$

Demand is a function of the allowance price  $t$  because this price influences the number of generators that remain in operation (the number for which  $t$  is below  $\hat{t}$ ). The allowance price also affects demand through its influence on the output levels and emissions intensities of the generators that remain in operation.

The supply of allowances on the trading market comes from generators that remain in operation and have excess allowances to sell. Let  $RS_j$  represent the set of generators in technology group  $j$  that *remain* in operation and *sell* allowances – the generators in technology group  $j$  for which  $u_{ij} < \beta_j$ .<sup>31</sup> The total supply of allowances into the emissions trading market is:

$$S(t) = \sum_j \sum_{i \in RS_j} (\beta_j - u_{ij}) q_{ij} \quad (7)$$

The allowance price affects allowance supply by influencing the electricity production levels of the generators with  $u < \beta$ : this affects the number of excess allowances they have to sell. This price also affects supply by influencing the emissions intensities of these generators.

The market equilibrium price of allowances is the price  $t$  that satisfies  $D(t) = S(t)$ .

## 2. Electricity Prices

Generators whose production does not exceed  $\bar{q}$  face only the administered electricity price  $\bar{p}$ , while generators that produce more than  $\bar{q}$  face both the administered price and the market price  $p$  for production beyond  $\bar{q}$ . In each province, the total demand for electricity is assumed to be a negative function of total supply. The equilibrium market price equates total supply with the total demand.

### d. Cost-Effectiveness Considerations

---

<sup>31</sup> Recall that  $u_{ij}$  is endogenous. We assume that generating units in the group  $RS_j$  undertake expenditure on process change to the extent that this will increase net revenue (by increasing the number of excess allowances).

1. TPS and C&T electricity outputs relative to the cost-minimizing output level

Consider the profit-maximizing choices made by an individual generating unit under the TPS. As indicated in expression (2) above, the profit function for a generating unit is  $\pi = pq + (\bar{p} - p)\bar{q} - C(q, e) - t(e - \beta q)$ , where subscripts are suppressed for simplicity. This function yields the following first-order conditions for the profit-maximizing levels of  $q$  and  $e$ , given the allowance price  $t$  and applicable benchmark  $\beta$  :

$$\partial \pi / \partial q : p - C_q = -\beta t \quad (8)$$

$$\partial \pi / \partial e : -C_e = t \quad (9)$$

where  $C_q \equiv \partial C / \partial q$  and  $C_e \equiv \partial C / \partial e$ . The left-hand side of (8) is the marginal net revenue from output, excluding any change in costs of needed allowances. The right-hand side is the marginal cost of output in terms of the additional allowance costs associated with that increment to output since each unit of output raises allowance payments by  $\beta t$  (holding fixed the emissions-output ratio). Expression (8) states that a generator maximizes profit by equating the marginal net revenue with the marginal allowance cost.

To assess the cost-effectiveness of the TPS, we compare these first-order conditions with those from the following optimization problem:

$$\begin{aligned} \max \quad \Pi &= \sum_i pq_i + (\bar{p} - p)\bar{q}_i - C(q_i, e_i) \\ \text{s.t.} \quad \sum_i e_i &\leq \bar{E} \end{aligned} \quad (10)$$

where  $\Pi$  represents the net surplus produced by the generators in the aggregate<sup>32</sup> and  $\bar{E}$  is a given aggregate emissions target. The solution to (10) is the maximal surplus that can be obtained when emissions are kept within the given target or, equivalently, the minimum cost of reducing emission to the amount indicated by the target. The Lagrangean expression associated with (10) is

---

<sup>32</sup> This implicitly assumes no externalities or taxes, and pure competition. Under these conditions, social surplus (the sum of producer and consumer surplus) is maximized when the sum of net revenues to firms is maximized.

$$\mathcal{L}: \sum_i p q_i + (\bar{p} - p) \bar{q}_i - C(q_i, e_i) - \lambda \left( \sum_i e_i - \bar{E} \right) \quad (11)$$

The first-order conditions associated with this expression are

$$\partial \mathcal{L} / \partial q_i : p - C_{q_i} = 0 \quad (12)$$

$$\partial \mathcal{L} / \partial e_i : -C_{e_i} = \lambda \quad (13)$$

$$\partial \mathcal{L} / \partial \lambda : \sum_i e_i = \bar{E} \quad (14)$$

Equation (12) indicates that social costs are minimized when generators' production levels equate the marginal revenue ( $p$ ) and the marginal private cost  $C_{q_i}$  of production. This condition differs from expression (8), the condition determining generators' choices of  $q$  under the TPS. The difference reflects the implicit subsidy to output under the TPS. From equation (2), other things equal<sup>33</sup> each unit of  $q$  under the TPS reduces by  $t\beta$  the cost of additional allowances needed for compliance. Thus, condition (8) means that the TPS leads generators to produce more output, for given output prices  $p$ , than would be the case if equation (12) applied.<sup>34</sup>

Equation (13) is the first-order condition associated with the choice of emissions levels consistent with minimizing the cost of achieving a given emissions-reduction target. The Lagrangean multiplier  $\lambda$  is the shadow value of the constraint on emissions; in an emissions trading market, this is the market price of allowances. Thus, we can interpret  $\lambda$  as equal to  $t$ . This means that the first-order condition (13) for cost-minimization matches equation (9), the first-order condition regarding emissions under the TPS. Both equations express the condition that the marginal benefit from emissions (or the negative of the marginal cost) should be equated to  $t$ . Note that the similarity of conditions (9) and (13) does not mean that the level of emissions under the TPS will match the first-best level. This is because  $C_{e_i}$  depends on the level of output, and output under the TPS differs from first-best output. For a given value of  $t$ , the level of emissions under the TPS will exceed (fall short of) the first-best level if  $\partial C_{e_i} / \partial q_i$  is negative (positive).

Consider now the impacts under cap and trade. The expression for profit under C&T is:

---

<sup>33</sup> In keeping with the fact that (8) is a partial derivative, this condition is calculated holding  $e$  constant. In fact, the TPS affects both  $q$  and  $e$ . The connections between  $q$  and  $e$  are important for explaining the impacts of the TPS on levels of electricity supply and emissions relative to the business-as-usual case. We address these connections below.

<sup>34</sup> Generators with  $u_0 > \beta$  will reduce output relative to the business-as-usual level, but the reduction will fall short of the optimal amount.

$$\pi_{ij}^{C\&T} = pq + (\bar{p} - p)\bar{q} - C(q, e) - t(e - a_0) \quad (15)$$

where  $a_0$  is the initial allocation of (free) allowances and the superscript “C&T” designates the case of C&T. It is straightforward to show that the associated first-order conditions for a generator’s optimal choice of  $q$  and  $e$  match expressions (12) and (13) for the planner’s cost-minimization problem above. This implies that the output and emissions levels under C&T are such as to minimize the cost of achieving the specified aggregate emissions limit.<sup>35</sup> The cost-effectiveness advantage of C&T over the TPS reflects the absence of the output subsidy: the level of output does not appear in the far-right term in the C&T profit expression.

The difference in the impacts of the TPS and C&T become smaller, the lower is the price elasticity of output supply. One way to see this is to compare the TPS first-order condition for optimal output, given by equation (8) with the corresponding condition for C&T (which, as noted above, is the same as (12)). The former can be rewritten as  $C_q = p - \beta t$ , while the latter can be rewritten as  $C_q = p$ . The difference between these two conditions is  $\beta t$ , which does not depend on an individual facility’s  $q$ . Note that  $C_q$  is inversely related to the supply elasticity, implying that as  $C_q$  approaches infinity the supply elasticity approaches 0. Suppose that  $q$  satisfies the TPS first-order condition. Since  $\beta t$  is a constant, as  $C_q$  approaches infinity (or as the supply elasticity approaches zero) the change in  $q$  needed to satisfy the C&T first-order condition becomes infinitely small. In the limiting case of a zero supply elasticity, optimal  $q$  is the same for the TPS and C&T, and since the first-order conditions for optimal emissions are also the same, both policies are the same in terms of cost-effectiveness. A comparison of equations (2) (for the TPS) and (15) (for C&T) indicates that with a zero supply elasticity the two policies will also have identical distributional consequences so long as the initial allowance allocations  $\beta_j q_{ij}$  (for the TPS) and  $a_0$  (for C&T) are the same.

## 2. TPS and C&T electricity outputs relative to business-as-usual levels

Here we consider how outputs of the TPS and C&T differ from their baseline (business-as-usual) values. We will see that while C&T often induces all generators to reduce production

---

<sup>35</sup> Of course, this assumes the absence of transactions costs and other possible impediments to trading. Such limitations might well exist, but they could apply under the TPS as well.

relative to the baseline level, the TPS typically causes some generators to increase output relative to the baseline. We start with a focus on the TPS. To determine the relationship with baseline output, we examine the *total* derivative<sup>36</sup> of the TPS profit expression (2):

$$d\pi = pdq - \frac{\partial C}{\partial e} de - \frac{\partial C}{\partial q} dq - t de + t\beta dq \quad (16)$$

Dividing the above expression by  $dq$  yields:

$$\frac{d\pi}{dq} = p - \frac{\partial C}{\partial e} \frac{de}{dq} - \frac{\partial C}{\partial q} - t \frac{de}{dq} + t\beta \quad (17)$$

Setting  $d\pi / dq$  equal to 0 and rearranging give:

$$p = \frac{\partial C}{\partial q} + \frac{\partial C}{\partial e} \frac{de}{dq} + t \frac{de}{dq} - t\beta \quad (18)$$

The left-hand side is marginal revenue from output, while the right-hand side is the marginal cost, which includes the marginal emissions-related compliance cost. More specifically, the first two right-hand-side terms are the direct cost of an increase in output and the indirect cost via the output's impact on emissions, while the third and fourth right-hand-side terms represent the change in compliance costs associated with a marginal increase in emissions, net of the implicit subsidy  $t\beta$ . Expression (18) states that, to maximize profit,  $q$  must be chosen so that the “overall marginal cost of  $q$ ” (first two terms) plus the marginal compliance cost (second two terms) equals marginal revenue (the electricity price).

It is convenient to rewrite (18) as:

$$p^{TPS} = A(q^{TPS}) + t \left( \frac{de}{dq} - \beta \right) \quad (19)$$

where  $A(q^{TPS}) \equiv \frac{\partial C}{\partial q} + \frac{\partial C}{\partial e} \frac{de}{dq}$ , and the superscript *TPS* is employed to make clear that this condition applies under the TPS policy.

Under business as usual, the allowance price  $t$  is zero, so the above optimality condition reduces to  $p^{BAU} = A(q)$ , where  $p^{BAU}$  is the business-as-usual electricity price. Assume for the

---

<sup>36</sup> In contrast with the partial derivative condition shown in expression (8), the total derivative considers at one time the impact of changes in both  $q$  and  $e$  on profit.

moment (and counter to fact) that the TPS does not affect electricity prices, so that  $p^{TPS} = p^{BAU}$ . Under the TPS, satisfying (19) requires that the overall marginal cost  $A(q)$  differ from its business-as-usual value, to offset the value introduced by the extra term  $t(de/dq - \beta)$ . The extra term is either positive or negative depending on whether  $de/dq$  is greater or lower than  $\beta$ . For an interior solution, overall marginal cost must increase with  $q$ <sup>37</sup>. Satisfying the profit-maximization condition (19) then requires the facility's electricity output to decline or increase, depending on the sign of  $\frac{de}{dq} - \beta$ . Since  $de/dq$  is the generator's emissions rate at the margin, a generator's electricity supply under the TPS is either below or above its baseline level of output, depending on whether its emissions rate at the margin is greater or less than  $\beta$ .

These results refer to a facility's marginal emissions rate; but compliance under the TPS depends on the facility's average rate. It is reasonable to expect significant correlation between marginal and average rates – that facilities with relatively high (low) marginal emissions rates will tend to have relatively high (low) average emissions rates. To the extent that this correlation applies, the TPS will tend to cause output reductions for the facilities that are out of compliance initially (because of their relatively high average emissions rates) and tend to cause output increases for the facilities that are in compliance initially (because of their relatively low average emissions rates).

The results are slightly different once account is taken of policy-induced changes in the electricity price that the facility faces. Define  $\Delta^{TPS}$  as  $p^{TPS} - p^{BAU}$ . Applying equation (19) and the definition of  $\Delta^{TPS}$ , we can write:

$$p^{BAU} = A(q^{TPS}) + t \left( \frac{de}{dq} - \beta \right) - \Delta^{TPS} \quad (20)$$

Thus the impact of the TPS on output is modified by the change in electricity prices. If the TPS causes an increase in electricity prices (as it usually does),  $\Delta^{TPS}$  is positive and expression (20) is satisfied with a higher value of  $q$  (and higher overall marginal cost) than would be the case if the electricity price did not increase. It indicates that if  $\Delta^{TPS}$  is sufficiently large, even the generators

---

<sup>37</sup> If  $d(A(q))/dq$  were negative throughout the relevant range, a facility with  $u < \beta$  would forever increase its output, thereby augmenting without limit the excess allowances that it can sell. It is plausible to assume that at some point, an increase in  $q$  raises total marginal costs (that is,  $d(A(q))/dq$  becomes positive), implying a limit to the extent that a facility will increase its output.

with initial emissions-output ratios above their benchmarks would maximize profits by expanding output. In our simulations, we find that the price increase under the TPS generally is not large enough to produce this result. Over the range of simulations we have performed, the TPS causes nearly every generator with initial emissions-intensity above its benchmark to reduce output.

Under C&T, the equation corresponding to (20) is:

$$p^{BAU} = A(q^{C\&T}) + t \frac{de}{dq} - \Delta^{C\&T} \quad (21)$$

where  $\Delta^{C\&T}$  is the increase in the electricity price relative to the business-as-usual price. In contrast with equation (20) for the TPS,  $\beta$  does not appear in (21). As a result, the middle right-hand-side term is always positive. In the (counterfactual) case where C&T does not increase in electricity prices, in contrast with the TPS, C&T will induce *all* generators to reduce output relative to the business-as-usual levels. In the more realistic case where C&T leads to a higher electricity price, the higher electricity price counters the effect exerted by the allowance price (middle term), raising the possibility that some  $u < \beta$  generators will increase output under C&T. As was the case under the TPS, our numerical simulations of C&T indicate that the electricity price effect is fairly small. Over the range of simulations performed, C&T causes nearly all generators to reduce output relative to the baseline levels, and in many simulations it causes every generator to reduce output.

### 3. Gains from allowance trading

With a perfectly fluid market for allowance trading, managers of generating units will reduce emissions to the point where the private marginal costs of abatement equal the private marginal benefits. The two elements can be obtained from the total derivative of profit shown in equation (16) above. Dividing both sides by  $de$  yields:

$$\frac{d\pi}{de} = p \frac{dq}{de} - \frac{\partial C}{\partial e} - \frac{\partial C}{\partial q} \frac{dq}{de} - t + t\beta \frac{dq}{de} \quad (22)$$

Setting  $d\pi / de$  to 0 and rearranging yields:



$$\underbrace{p \frac{dq}{de} - \frac{\partial C}{\partial e} - \frac{\partial C}{\partial q} \frac{dq}{de}}_{MB_e^{pvt}} = t \underbrace{(1 - \beta \frac{dq}{de})}_{MC_e^{pvt}} \quad (23)$$

The left-hand side,  $MB_e^{pvt}$ , is the marginal private benefit from emissions (or marginal private cost of abatement), while the right-hand side,  $MC_e^{pvt}$ , is the marginal private cost of emissions (or marginal private benefit from abatement). Importantly, the right side of (23) will generally vary across generators, since  $\beta (dq / de)$  is specific to individual generators. Hence, even if trading is perfectly fluid, it will not result in the equalization of marginal benefits and marginal abatement costs. Other things equal, the right-hand side of (23) will be higher for generators facing a lower (more stringent)  $\beta$ ; hence after trading they will have higher marginal abatement costs than generators facing a higher  $\beta$ . This limits the cost-effectiveness of trading: the total private cost of achieving the same aggregate emissions reduction would be lower if the lower- $\beta$  generators undertook less abatement and the higher- $\beta$  generators undertook more. Thus, even though generators will face a common allowance price, their marginal abatement costs after trades will generally differ, even if trading is perfectly fluid.<sup>38</sup> This limits the achievable cost-reductions from allowance trading. These limits are a symptom of the presence of the  $\beta$  in equation (23), which leads to differences across generators in the marginal private benefit from abatement. Note that even when all facilities face the same  $\beta$ , the benefits from allowance trading will often be compromised, since  $dq/de$  will often differ across generators.

Thus, the TPS's implicit subsidy to output reduces the gains from allowance trading. The compromising of the gains is greater, the larger the variation in the benchmarks, other things equal, since such variation expands the differences across facilities in their marginal benefits from emissions abatement. Correspondingly, the cost-effectiveness gains from trade are likely to be greatest when a single benchmark is employed instead of multiple benchmarks. In the presence of the output subsidy, variation across generators in the value of  $dq/de$  also works to limit the gains from allowance trading.

C&T has an advantage over the TPS in terms of the cost-effectiveness gains from allowance trading. This is because under C&T with fluid trading, the right-hand side element in the  $MB=MC$  expression (23) is simply  $t$ , which implies that all units equate their marginal private

---

<sup>38</sup> This result parallels a result in the simpler analytical model in Goulder and Morgenstern (2018).

benefits from emissions (marginal private costs of abatement) to the same value. This leads to the maximal reduction in aggregate costs of meeting a given emissions-reduction target.

*e. Distributional and Other Considerations*

Although the use of multiple (i.e., differing) benchmarks in a TPS compromises cost-effectiveness, it can serve distributional goals. Higher (less stringent) benchmarks can be applied to generators that otherwise would suffer especially high costs of compliance or be forced to shut down. This suggests trade-offs between cost-effectiveness and the achievement of certain distributional goals.<sup>39</sup>

Some attractions of the TPS relative to C&T deserve mention. As noted in the introduction, the TPS has an advantage in terms of adaptability to changes in macroeconomic conditions. In boom times, when electricity demand and production are high, the allowance allocations increase automatically. This prevents what otherwise could be very high abatement costs in a cap-and-trade program with a fixed cap on allowances. Likewise, the TPS's allowance allocation is lower in slack times, when electricity demand is likely to be lower and a fixed cap could have yielded excessive allowances.

Also, as our numerical simulations will show, because of the TPS's implicit subsidy to output, the TPS leads to smaller increases in electricity prices than does a comparably stringent C&T system. This can help reduce emissions leakage.<sup>40</sup>

A possible additional attraction is that Chinese planners are more familiar with intensity-based regulations, of which the TPS is an example. This suggests that the administration of the TPS could be less costly and more effective than administration of a C&T program – at least in the nearer term.

---

<sup>39</sup> Note that the use of multiple benchmarks in a C&T system does not compromise cost-effectiveness because C&T does not involve an output subsidy.

<sup>40</sup> This issue is particularly significant to industries that are especially import-competing and/or carbon-intensive. It is not a major issue for producers in China's power sector, since relatively little domestically produced electricity is sold internationally. The issue will be more important once the TPS expands to major industries in China's manufacturing sector.

## *f. Summary and Challenges*

Key findings from this analysis are:

- A TPS generally is less cost-effective than an equivalently scaled C&T program. The difference in cost-effectiveness reflects the implicit subsidy to output under the TPS, which causes generators' electricity output levels to exceed the levels consistent with minimizing the costs of achieving a given aggregate emissions limit. This distortion gains importance the higher the price elasticity of electricity supply.
- The TPS induces some covered facilities – in general, those with emissions-output ratios below their required benchmarks – to increase supply beyond their business-as-usual levels. This contrasts with C&T, which tends to cause all facilities to reduce production relative to their BAU levels.
- The TPS usually does not lead to equality in marginal abatement costs across facilities that continue to operate, even when trading is perfectly fluid. This limits the aggregate cost-reductions from allowance trades.
- The most cost-effective TPS is one involving a single benchmark. Economy-wide costs increase with the number (variation) of benchmarks, other things equal. However, multiple benchmarks can help achieve distributional objectives. Thus, there is a trade-off between cost-effectiveness and distributional goals.

The results from our numerical model reinforce these analytically derived findings. They also provide estimates of the magnitudes of the analytical model's predicted qualitative impacts.

## **5. A Numerical Model**

### *a. Overview*

The model considers the 2,392 generating units and 11 technology classes of Table 1. Within each technology class, the model allows for heterogeneity in the cost functions and thus considers a large number of generation units in each class.

The numerical model's basic structure matches that of the previously described analytical model. We calibrate the numerical model so that its solution under baseline (status quo) conditions matches the data in terms of costs, production levels and electricity prices.

We compare the baseline outcomes with the results under TPS and C&T policies. TPS policies are defined by the stringency and distribution of the assumed benchmark emissions-output

ratios applying to different generators, while C&T policies are defined by assumed initial allocations of allowances to the different generators. All generators within a given technology class receive the same benchmarks under the TPS and the same initial allowance allocations under C&T.

Under each policy, profit-maximizing managers of generating units determine whether to shut down or remain in operation and, conditional on continuing to operate, the optimal level of production, the extent of effort to reduce emissions intensity of production, and the number of allowances to purchase or sell. Under each policy, the model solves for the equilibrium allowance price and for the equilibrium prices of electricity in each provincial and zonal (regional) market. The equilibrium allowance price equates the aggregate supply of allowances with the aggregate demand. The equilibrium electricity prices pertain to the electricity produced in excess of the quantities facing administered prices. Such excess electricity is sold either to residual local electricity markets or to regional grid companies.<sup>41</sup>

The data show that a given generating unit will often sell its electricity in the local market and zonal market at different prices. Transactions costs help explain the difference in equilibrium prices of electricity, a homogenous product. As indicated in subsection 5b below, we model transaction costs as increasing in the quantity of electricity that a given generator sells to the zonal market. We calibrate the parameters of the transactions cost function so that sales to the zonal market in the baseline simulation match the observed data. In both baseline and policy simulations, the equilibrium market price of electricity in the local market equals the price in the relevant zonal market net of the marginal transactions cost.

### *b. Costs and Supply*

For each generator, we employ the following specification for total production cost:

$$C(q, h) = (\phi_0 + \phi_1 q^{\phi_2}) + h(z, p_z, t) \quad (24)$$

---

<sup>41</sup> In a few unusual cases, the overall demand for electricity at the administered price is less than the GH level of output. In this case, the equilibrium quantity produced is less than the GH output level and all electricity is sold at the administered price.

where  $q$  is the supply of output,  $\phi_0$ ,  $\phi_1$ , and  $\phi_2$  are parameters, and the function  $h(z, p_z, t)$  captures the direct<sup>42</sup> cost of compliance. (Subscripts have been suppressed for simplicity.) In the compliance cost function,  $z$  is an index of real resources devoted to reducing emissions intensity,  $p_z$  is the price of a unit of  $z$  according to that index, and  $t$  is the allowance price. Specifically, under the TPS,

$$h(z, t) = p_z z + t[u(z, q) - \beta]q \quad (25)$$

and under C & T,

$$h(z, t) = p_z z + t[u(z, q)q - a_0] \quad (26)$$

As in the previous section's analysis, equations (25) and (26), respectively, indicate that the expenditure on the additional allowances needed for compliance depends on the gap between  $uq$  and  $\beta q$  (under the TPS) and the gap between  $uq$  and  $a_0$  (under C&T). In (25) and (26), the emissions-output ratio  $u$  depends on  $z$ . In determining how much to spend on emissions abatement, cost-minimizing producers consider the benefits (reduced  $u$ ) and costs ( $p_z$ ) of  $z$ .

The following function connects  $z$  with the emissions-output ratio:

$$u(z, q) = u_0 / [1 + (z / q)^\varepsilon] \quad (27)$$

We employ values above 1 for  $\varepsilon$ , which implies a diminishing marginal effect of  $z$  on the emissions-output ratio and associated increasing marginal abatement costs. Equation (27) has the property that  $u(z)$  is  $u_0$  when  $z$  is 0. Under business-as-usual,  $t$  is 0 and producers will choose  $z = 0$ . In this case the  $h(z, p_z, t)$  function is zero and the production cost function reduces to  $\phi_0 + \phi_1 q^{\phi_2}$ .

As was noted, transactions costs explain the observed differences in the market prices of electricity between the local (provincial) market and the zonal market to which the province contributes. The transaction cost function has the form,  $\theta_1 q_{i,zone}^{\theta_2}$ , where  $q_{i,zone}$  is the quantity of electricity sold by generator  $i$  to the zonal market and  $\theta_1$  and  $\theta_2$  are parameters calibrated from market data.

---

<sup>42</sup> The qualifier "direct" is included since the costs of compliance also include the impact that policy-induced changes in  $q$  have on production apart from abatement effort. This other cost is captured by the first term in (24).

### c. Producer Heterogeneity

Our data on production costs consist of *average* total costs for each of the 11 technology classes shown in Table 1. We allow for cost heterogeneity within technology classes by assuming that the parameter  $\phi_0$  in the cost function differs across the units within a class according to a beta distribution. Since  $\phi_0$  is a constant in that function, it does not affect generators' output supplies or abatement expenditures at the margin. However, it does affect the level of profits and thus, under any given policy scenario, it influences whether profits for a given unit are positive and whether the unit shuts down. Because the values of  $\phi_0$  are distributed according to the (continuous) beta distribution, the number of units that shut down is a continuous function of policy parameters and the allowance price.<sup>43</sup>

### d. Optimal Output and Emissions Choices

After substituting equation (27) and into (25) and (26) for the TPS and C&T cases, respectively, substituting the results into (24), and recognizing from equation (2) that profit is  $p q + (\bar{p} - p)\bar{q}$  minus overall cost, we have

$$\pi = p q + (\bar{p} - p)\bar{q} - \phi_0 - \phi_1 q^{\phi_2} - p_z z - t \left[ [u_0 / (1 + (z/q)^\varepsilon) - \beta] \right] q \quad (28)$$

and

$$\pi^{C\&T} = p q + (\bar{p} - p)\bar{q} - \phi_0 - \phi_1 q^{\phi_2} - p_z z - t \left[ [u_0 / (1 + (z/q)^\varepsilon)] q - a_0 \right] \quad (29)$$

As was noted,  $p$  is the market price – the price that applies at the margin. Throughout,  $p$  should be interpreted as the price net of any applicable transactions costs. Thus,  $p$  is the same for electricity sold to the local market and the zonal market.

Differentiating these functions with respect to the choice variables  $q$  and  $z$  yields:

$$\partial \pi / \partial q : p = \phi_1 \phi_2 q^{\phi_2 - 1} + t [u_0 / (1 + (z/q)^\varepsilon) - \beta] + t \varepsilon u_0 (z/q)^\varepsilon (1 + (z/q)^\varepsilon)^{-2} \quad (30)$$

$$\partial \pi / \partial z : p_z = t \varepsilon u_0 (z/q)^{\varepsilon - 1} (1 + (z/q)^\varepsilon)^{-2} \quad (31)$$

---

<sup>43</sup> Using a continuous probability distribution function to incorporate heterogeneity within broad technology classes causes the model's aggregate demand functions for allowances to be continuous. This facilitates solving the model.

$$\partial \pi^{C\&T} / \partial q : p = \phi_1 \phi_2 q^{\phi_2 - 1} + t[u_0 / (1 + (z/q)^\epsilon)] + t \epsilon u_0 (z/q)^\epsilon (1 + (z/q)^\epsilon)^{-2} \quad (32)$$

$$\partial \pi^{C\&T} / \partial z : p_z = t \epsilon u_0 (z/q)^{\epsilon - 1} (1 + (z/q)^\epsilon)^{-2} \quad (33)$$

Expressions (30) and (32) equate the marginal benefit from  $q$  (left side) with its marginal compliance cost. Expressions (31) and (33) equate the cost of  $z$  (left side) with the implied marginal benefit in terms of compliance cost reductions. Under each of the two policies, we solve simultaneously the two relevant first-order conditions to obtain the optimal values for  $q$  and  $z$ .<sup>44</sup> The optimal responses to changes in prices or other relevant parameters of both output supply and abatement effort are consistent with the analytical model. Under the TPS, optimal  $q$  may increase or decrease with  $\beta$  and  $t$ . Under C&T, the optimal  $q$  declines with  $t$  and is not affected by  $a_0$  for interior (non-shutdown) solutions. Optimal  $z$  declines with  $p_z$  under both policies.

#### *e. Equilibrium Conditions*

A given TPS policy is defined by a set of benchmarks applying to each generating unit, while a given C&T policy is defined by a set of initial (exogenous) allowance allocations. The solution approach under a given policy is as follows: Let  $V$  represent a vector consisting of an allowance price and a set of province-level and zonal electricity prices. For any given  $V$ , the model calculates each generator's revenue-maximizing quantity of output and the optimal emissions intensity of each generating unit, conditional on remaining in operation. For some units – particularly those with emissions-output ratios above the applicable benchmark – production costs can be sufficiently high to imply negative profits. These are the units with exceptionally high values of  $\phi_0$  within the distribution of this parameter for the technology class in question. These units will shut down.

The production decisions of individual generators determine the aggregate demand and supply of allowances and they affect the supply and demand for electricity in both the residual local market and the seven zonal markets. The model continually alters both the allowance price and the electricity prices in  $V$  until three sets of equilibrium conditions are satisfied: (1) the

---

<sup>44</sup> The numerical model obtains the solution by the following iterative procedure. It first posits a value of  $q$  and uses equation (31) (or (33)) to solve for the optimal  $z$  conditional on the posited value. It then uses equation (30) (or (32)) to obtain a value for  $q$  that is optimal conditional on the derived value of  $z$ . If the derived  $q$  and original posited  $q$  do not match, the model posits another value for  $q$  and repeats the procedure. This iterative procedure continues until the posited and derived values of  $q$  match, at which point both of the applicable first-order conditions are satisfied.

aggregate allowance supply equals the aggregate allowance demand; (2) for each province, the supply of electricity to the residual local market equals the demand in that market; and (3) for each zonal market, the sum of provinces' supplies to that market equals the electricity demand in that market. The equilibrium allowance and electricity prices are closely connected, since electricity prices affect allowance supply and demand through their impact on electricity production, and the allowance price affects electricity supplies through its impact on compliance costs.<sup>45</sup>

#### *f. Data and Calibration*

The data for the model are for the year 2016. Table 1 above organized key data by technology class. Table 2 displays baseline administered and market prices and outputs by province. Data were collected from National Development and Reform Commission, China Electric Council, and the Electric Power Development Research Institute. Details on the sources and organization of the information on electricity prices are provided in Appendix A.

Overall, 42.8% of coal-fired electricity and 6.3% of gas-fired electricity is sold in local market. The average administered price of guaranteed-hour electricity is 0.367 RMB or 7.9 percent higher than market price of electricity sold locally. Because of limited data availability, we assume that, for a given technology class, the average total production costs and emission intensity are the same across provinces.

For each technology class in each province, we identify the parameters  $\phi_1$ , and  $\phi_2$  of the cost function, along with  $\phi_{\text{mean}}$ , the mean value of the cost function's constant term  $\phi_0$ , through a calibration procedure that imposes three requirements on the average generator in each technology class. The requirements are that, in the business-as-usual simulation: (1) net revenue equals the net revenue from the data, (2) the net-revenue-maximizing level of output (that is, the level at which marginal production cost equals the electricity price) matches  $q_0$ , and (3) the implied price elasticity of supply  $\eta$  equals 0.22, our central case value for this elasticity. Details on the calibration method are provided in Appendix B.

---

<sup>45</sup> The solution method obtains equilibrium electricity prices for 29 province-level residual electricity markets, equilibrium electricity prices for seven zonal markets, and one equilibrium price for the national allowance market. We solve for the 36 equilibrium prices by minimizing the differences between supply and demand in each market through gradient descent.



A further step is to specify the distribution of the constant term  $\phi_0$  in the cost function of each technology class. As mentioned, we employ a beta distribution, which involves finite bounds for the parameter, and we assume the distribution is symmetric. We impose two conditions to identify the parameters of this distribution. First, the distribution of  $\phi_0$  must imply that under baseline conditions the mean total cost  $C$  for the technology class equals the average total cost from the data. Second, the largest value for  $\phi_0$  in the distribution,  $\phi_{0\max}$ , must imply a value for  $C$  in the baseline that makes profit just equal to zero for the generator with that value. This means that the highest cost generator in each technology class is marginal in the sense that it makes exactly zero economic profit. It would be the first to shut down when costs rise for its generator class. Details of the procedure for establishing the distribution of  $\phi_0$  are in Appendix B.

For the transaction cost function  $\theta_1 q_{i,zone}^{\theta_2}$ , we set the  $\theta_2$  curvature parameter equal to 2. Then, for each generator, we identify the  $\theta_1$  that applies to the zonal market to which the generator contributes, based on the requirement that in the baseline simulation, the amount of electricity sold to the zonal market must equal the amount from the data, given the baseline electricity prices in the local market and the applicable zonal market. Note that  $\theta_1$  differs according to the generator's technology class and the province in which the generator is located..

## 6. Numerical Results

We consider a range of TPS and C&T policies. Our central case TPS policy involves three benchmarks:  $\beta_{GF} = .374$ ,  $\beta_{CF} = .864$ , and  $\beta_{CFB} = 1.006$ , where the subscripts refer to the three technology categories indicated in Table 1 – gas-fired generators, coal-fired (other than circulating fluidized bed) generators, and circulating fluidized bed generators. We selected the benchmarks by first calculating the output-weighted average emissions-output ratio under the baseline for the entire population of generators. We then set the three benchmarks. In each category the benchmark is a given percentage below the output-weighted emissions-output ratio for all generators in that category. We choose the percentage reduction so that the resulting baseline-output-weighted average benchmark for the entire population of generators corresponds to the 65<sup>th</sup>

percentile emissions rate among all of the generators.<sup>46</sup> In discussions with individuals involved in the planning of the TPS, the 65<sup>th</sup> percentile ratio was often mentioned as a possible basis for determining the overall benchmark stringency.

We also consider alternative benchmark specifications that differ in terms of the number of benchmarks, their variation, and their stringency. We offer the specifics below.

For comparability with the TPS policies, we distribute the initial C&T allowances in a way that matches the initial distribution under the TPS and leads to the same aggregate emissions (total number of allowances in circulation) as under the TPS.<sup>47</sup>

### *a. Central Case Results*

#### *-- Prices, Costs, Emissions, and Outputs*

Table 3 displays the results in our central case. With the central-case benchmarks, the TPS prompts a reduction in emissions of 84.65 million tons, or 3.1 percent. An allowance price of 226 RMB (or about 32 U.S. dollars) brings the supply of excess allowances by the  $u < \beta$  generators into balance with the demand for allowances by the  $u > \beta$  generators. In the allowance market, the  $u > \beta$  generators purchase 56.91 million tons of allowances from the  $u < \beta$  generators.

The shutdown of some units accounts for an emissions-reduction of about 21 million tons, or about 25 percent of the overall reduction. The generators that remain in operation contribute to emissions-reductions through lowered emissions intensities and (for the  $u > \beta$  units) through reduced electricity production. Even the units that increase electricity output contribute to the overall emission reductions by virtue of their reduced emissions intensities.

The TPS causes aggregate electricity supply to decline by about 0.6 percent although, as expected, the  $u < \beta$  units increase their output. The aggregate reduction in supply reflects the fact that the TPS raises production costs at the margin: each additional unit of electricity produced either requires the purchase of additional allowances or reductions in the number of allowances the

---

<sup>46</sup> Specifically, it is the emissions rate that corresponds to the generator at the 60th percentile in the distribution of emissions-output ratios across generators ordered by emissions rates, starting with the highest-rate generator.

<sup>47</sup> The TPS and C&T policies lead to different adjustments in output, including different choices as to whether to shut down, in response to the policy implementation. As a result, the end-of-period distribution of allowances across units differs, although by construction the total number of allowances held at the end of the compliance period (which determines total emissions) is the same.

unit can sell. Thus, the reduction in supply by  $u > \beta$  units – those that shut down and those that remain in operation – exceeds the increase by  $u < \beta$  units. The reduction in aggregate supply gives rise to an increase of 0.5 percent in the output-weighted-average price of electricity. This increase reflects the higher market-clearing prices of electricity sold in the local residual and zonal markets. Administered electricity prices are constant.

The private cost of this central case TPS policy, measured as the negative of the change in producer and consumer surplus, is about 8.4 trillion RMB, or 99 RMB per ton. Seventy-two percent of this cost is borne by consumers, a reflection of the policy-induced increase in electricity prices.

Although assessing the climate-related environmental benefits from emissions reductions involves great uncertainties, it is worth considering how climate-related benefits from the TPS might compare with these estimated costs. The Interagency Working Group on the Social Cost of Carbon (2016) arrived at a central value of about \$44 (2016\$) (or 290 RMB) per ton for the social cost of carbon. Applying this value to the estimated 84.65 million ton reduction in CO<sub>2</sub> emissions yields a climate-related benefit of 25 trillion RMB, approximately 2.9 times the estimated costs.

#### *-- Comparison with Cap and Trade*

Although both the TPS and C&T are examples of emissions trading policies, their impacts differ in important ways. As was noted, under the C&T policy (free) allowances are allocated to all of the generators in proportion to their initial allocations under the TPS. The allocations are scaled so that the total number of allowances allocated matches the total end-of-period allocations under the TPS. This assures that the aggregate emissions reduction is the same (84.65 million tons) under both policies. At the same time, end-of-period allocations differ from initial allocations because of changes in output and shutdowns.

Table 3 includes results under C&T. Although the C&T allocations parallel those under the TPS, the responses by generators under C&T are quite different. In contrast with the results under the TPS, no units increase electricity supply; none have an incentive to increase supply because the allowance allocation is exogenous and there is no implicit subsidy to increased electricity output. As a result, under C&T emissions changes from generators that remain in operation and reduce output account for 96 percent of the emissions reductions, while they account for only 29 percent under the TPS.

The two pie charts in Figure 1 further illustrate the significant differences between the TPS and C&T in terms of their reliance on the different channels for emissions reductions.<sup>48</sup> The charts decompose the overall reductions into those due to changes in electricity production, changes in the relative outputs among generating units, and changes in emissions intensity. Holding industry composition and emissions intensity fixed, changed electricity output contributes about 22 percent of the emissions reductions, as compared with about 60 percent under C&T. Because the TPS does not exploit the output channel as efficiently as C&T does, to achieve comparable emissions reductions this policy must rely more on reduced emissions intensities. Such reductions account for about 75 percent of the reductions under the TPS, as compared with about 37 percent under C&T. Under both policies, the changes in industry composition contribute to a relatively small fraction of the overall emissions reductions.

The greater reduction in electricity output under C&T yields larger increases in electricity prices than under the TPS: the national average electricity price (output-weighted, and encompassing all local and zonal prices) rises to .379 RMB/kWh, as opposed to .374 under the TPS. The higher electricity prices under C&T moderate the profit losses. They also account for the lower rate of shutdowns under C&T. Shutdowns account for about 3.75 billion kWh reduction in electricity supply under C&T, as compared with 20.90 billion kWh under the TPS. Table 4 shows that under both policies, the units that shut down are in technology classes C5, C6, and C7 (within the coal-fired category) and classes C9 and C11 (within the circulating fluidized bed and natural-gas categories, respectively). These are the units with original emissions intensities above the benchmarks for their categories. As we described in subsection 5f above, there is heterogeneity within each technology class in the costs of production, and it is only the highest-cost units within each class that shut down.

The equilibrium allowance price under C&T is 41 percent lower than under the TPS, a reflection of the significantly lower electricity output and allowance demand associated with any given allowance price.

These differences between the TPS and C&T prices and outputs imply differences in overall costs as well as in the distribution of those costs between producers and consumers. The

---

<sup>48</sup> The decomposition in the pie charts was accomplished as follows. The contribution from reduced electricity output is the emissions reduction that would occur from the differences between output in the policy case and the baseline, if emissions intensities and sector composition remained the same as in the baseline. The contribution from lowered emissions intensities is the reduction that would occur if the emissions intensities changed but industry production levels remained at baseline levels. The contribution from changed sector composition is the reduction that would occur if the only change from the policy were in the shares of production from the different technology classes.

overall private cost (measured as the sum of the losses in producer and consumer surplus) is 47 percent lower under C&T than under the TPS. As indicated in the analytical model, this reflects the absence of the implicit output subsidy under C&T and the associated more efficient exploitation under C&T of reductions in electricity output as a mechanism for reducing emissions.

The distribution of the costs between producers and consumers is quite different as well. Because electricity prices rise more under C&T, consumers experience a much larger share of the burden under this policy. Indeed, they bear over 100 percent of the burden, as the change in producer surplus is positive. This result is in keeping with earlier studies that show how 100 percent free allocation of emissions allowances can create large rents or windfalls for producers.<sup>49</sup> The basic mechanism is that the limited supply of allowances compels producers to reduce output as one channel for achieving compliance; this boosts electricity prices and creates economic rents for competitive producers in the same way that a cartel's restriction in output would do so.

#### *-- Regional Impacts*

The numerical model incorporates data on the geographical locations and electricity production levels of each technology class under business as usual. Using this information, the model calculates how the policy costs experienced by each technology class are distributed across provinces and regions. While the available data include differences in costs across technology classes, we do not have information on how, within a given technology class, the costs might differ across regions. As a result, within a given technology class the model-generated differences in profit impacts are mainly due to regional differences in impacts on electricity prices rather than regional differences in production costs.<sup>50</sup>

Table 5 indicates how the costs to producers under the TPS are distributed across provinces and regions of the country. One key result is that four of the seven regional provincial categories

---

<sup>49</sup> See Bovenberg and Goulder (2001), Parry (2003), Burtaw *et al.*, (2007), Fullerton and Karney (2009), Goulder, Hafstead, and Dworsky (2010), and Stavins (2019). In the present study, 100 percent of the allowances under C&T are given out free. Previous studies indicate that freely allocating a significantly smaller share of the allowances would be sufficient to prevent a loss of profit. See, for example, Goulder, Hafstead and Dworsky (2010). Note also that if the government were to auction off rather than freely allocate the allowances, what otherwise would be rents to producers take the form of revenues to the government. The recognition that 100 percent free allocation is not needed to preserve profits partly explains the increased reliance on auctioning under the European Union's Emissions Trading System and California's cap-and-trade program over the past decade.

<sup>50</sup> For units in a given technology class, the calibration procedure described in Appendix B introduces very slight differences in production parameters across units in different regions, reflecting regional differences in benchmark prices. Hence the qualifier "mainly" above.

in the table experience overall *increases* in producer surplus from the TPS. This reflects the rents stemming from the free allocation of allowances under the TPS. It is the North, Southwest and Northeast provinces that experience overall losses of producer surplus, with the largest losses in percentage terms applying to Shandong Province in the North and Heilongjian Province in the Northeast. These provinces are especially reliant on coal-fired generation, and our results indicate that (under the benchmarks we have chosen) coal-fired generators experience the largest cost increases under the TPS.

To some, these results might come as a surprise – some might expect the TPS to impose more widespread losses of profit. We do find that the TPS reduces profits of some generating units – indeed, it causes some units to shut down – but the scope of the profit-losses is much smaller than might have been expected. These results attest to the importance of free allowances to the distribution of impacts between producers and consumers.

#### *b. Impacts under Alternative Benchmark Scenarios*

Here we explore the sensitivity of policy impacts to alternative benchmark specifications. We first consider how the the benchmark “spread” – the range between the high and low benchmarks – affects the results. Figure 2 displays the overall costs under different specifications for the spreads. The one-benchmark case, where the same benchmark applies to all 11 technology classes, is the limiting case of zero spread. The single benchmark is scaled so that the number of allowances initially allocated matches the initial allowance total from the 3-benchmark case.<sup>51</sup> In the other benchmark cases, the same three benchmark categories apply as in the central case, but the benchmark values are different. To obtain these values, we expand or shrink the spread across the three benchmarks while preserving the total number of initially allocated allowances.<sup>52</sup> This preserves overall stringency because it does not alter the total number of initially allocated allowances; however, because of different number of shutdowns, the end-of-period emissions are not equal. Figure 2 shows that greater spread implies higher costs per ton of reduced emissions.

---

<sup>51</sup> This benchmark is also the output-weighted average of the three central-case benchmarks.

<sup>52</sup> More specifically, for each of the three central-case benchmarks, we calculate the difference between the central-case benchmark and the benchmark in the 1-benchmark case. Let  $d_j$  denote the difference for technology category  $j$ . The new category- $j$  benchmark is the value in the uniform-benchmark case plus the product of  $d_j$  and a scaling factor. We employ scaling factors of .5 and 1.5 to produce benchmarks with less and more spread. Note that applying a scaling factor of 0 recreates the 1-benchmark case, and applying a scaling factor of 1 reproduces the central-case benchmarks.

The analytical model indicated that the use of multiple benchmarks under the TPS limits the ability of allowance trading to lower costs. To test this prediction, we performed counterfactual simulations in which the TPS did not include provisions for trading. Consistent with the analytical model's findings, the cost-reduction from trades is considerably smaller in the 3-benchmark (central) case than in the equivalently stringent one-benchmark case. Specifically, in the 3-benchmark case, trading reduced overall costs by 75.1 percent, from 33.8 billion RMB to 8.4 billion RMB. In the one-benchmark case, trading reduced costs by 83.7 percent, from 48.1 billion RMB to 7.8 billion RMB.

We also consider how the overall stringency of the benchmarks alters policy costs. Here we scale up or down each of the three central-case benchmarks by a common factor. This alters stringency while maintaining the relative sizes of the benchmarks. In the central case, the sum of the initial allocations is 2.5 percent below the aggregate level of emissions under BAU. In the two alternative stringency scenarios displayed in Figure 3, the overall stringency, as measured by policy-induced emissions reductions, is 60%, and 140% percent of the overall stringency in the central case. Costs increase with the stringency of the TPS, at an increasing rate.

Another important policy consideration is the number of benchmarks. Trade-offs apply here. A larger number of benchmarks can help meet distributional objectives, although cost-effectiveness is sacrificed. As noted, the Heilongjian and Shandong provinces experience the largest percentage losses of producer surplus in the central case. These losses reflect the heavy reliance on coal-fired generation, along with the fact that the emissions-output ratios of the coal-fired generators in these provinces were significantly above the benchmark for that generation category.

In an alternative sensitivity analysis, we introduce a TPS policy involving four benchmarks, with the extra benchmark designed to reduce the cost-burden on these provinces. Here we split the coal fired generation category into two sub-categories, with technology classes 1-5 in one and classes 6 and 7 in the other. In the Heilongjian and Shandong provinces, an especially large share of production is by class 6 and 7 generators. In this alternative benchmark scenario, we increase (i.e., loosen) by a common factor the benchmark that applies to technology classes 6 and 7, and reduce (i.e., tighten) by a common factor the benchmark applicable to technology classes 1-5. These changes are defined by the following two conditions: (1) the baseline-emissions-weighted average benchmark for the coal-fired generation category is unchanged, and (2) the increase in the benchmark for the class 6 and 7 sub-category is just large enough to limit profit

losses to all provinces to no more than 5 percent. As noted, the central case benchmark for the coal-fired generators is .864 tCO<sub>2</sub>/mWh. Meeting the two conditions requires changing the benchmarks for technology classes 1-5 and 6-7 to 0.820 and 0.925 respectively.

The right-hand pair of columns in Table 5 displays the results in this alternative “subcategorization” case. In this case, the percentage reduction in profit in Heilongjiang is five percent (the maximum allowed under this scenario), as compared with 9.3 percent in the central case. The percentage reduction in profits in Shandong Province is also reduced considerably. Several provinces that would experience profit increases in the central case have lower profits under this alternative TPS policy, a consequence of the tighter benchmarks applied to technology classes 1-5. As indicated in the final row of the table, the overall loss of profit is larger by about about 3,013 million RMB, or 0.6 percentage points, under the alternative benchmarking. Also, the overall economic cost (not shown in the table) is 8,804 million RMB, as compared with 8,387 million RMB in the central case (Table 3) .

### *c. Further Sensitivity Analysis*

Table 6 indicates how alternative parameter values for generators’ supply or demand elasticities affect the results. Consider first the impact of alternative values for the supply elasticity. The analytical results from Section 4 indicate that the cost-effectiveness disadvantage of the TPS relative to C&T depends on the extent to which producers respond to the TPS’s implicit subsidy to output. This disadvantage is muted, the lower the value of the supply elasticity. Table 6 shows that in the limiting case of zero for this elasticity, the results under the TPS match those of C&T, while the differences across policies in the high-elasticity case are greater than in the central or zero-elasticity cases. With a lower supply elasticity, the TPS’s implicit subsidy to output has less force and does less to counteract the tendency of the regulation-induced higher production costs to cause a reduction in output. As a result, a lower supply elasticity causes the TPS to function more and more like C&T, occasioning larger reductions in electricity output, prompting larger increases in electricity prices, and shifting more of the policy burden to consumers.

A higher absolute value for the demand elasticity moderates the differences in the price impacts of both the TPS and C&T. Specifically, the difference between the policies in terms of the percentage increase in the average electricity price is 2.47 percentage points when the demand elasticity is -0.15, versus 0.97 percentage points when this elasticity is -0.45. Correspondingly, the



larger elasticity narrows the differences in the impacts across the two policies. In particular, the ratio of the overall economic cost of the TPS and to that of C&T is about 2 in the low elasticity case, as compared with 1.8 in the high elasticity case.

Although the alternative parameter values affect the magnitudes of impacts, the fundamental differences between the policies in terms of their relative price impacts, their relative costs, and their distributional impacts are robust across these scenarios.

## 7. Conclusions

China's forthcoming nationwide CO<sub>2</sub> emissions trading system has the potential to make a very substantial contribution to the world's efforts to confront global climate change. The system will take the form of a tradable performance standard and will focus on the power sector in its first phase. This paper assesses the cost-effectiveness and distributional consequences of alternative designs of this TPS, using matching analytically and numerically solved models. It also compares the TPS's impacts with those of cap-and-trade program with the same coverage and stringency.

A key property of the TPS – one that is inherent in its rate-based approach – is its implicit subsidy to production. We show that the important differences in the impacts of the TPS and C&T stem from this implicit subsidy. The subsidy's impacts are wide-ranging and apply to both cost-effectiveness and distribution.

The subsidy limits cost-effectiveness through several channels. First, it implies that the TPS makes less efficient use of electricity output reduction as a way of reducing emissions. While C&T induces all covered power-generation facilities to reduce electricity output, the TPS causes covered facilities with relatively low emissions intensities to increase both electricity output and emissions relative to their levels under business as usual. Second, the implicit subsidy reduces the extent to which emissions allowance trading can reduce costs. This reflects the fact that under the TPS, a cost-minimizing firm will aim to equate its marginal abatement costs with the net-of-subsidy allowance price applicable to that facility. Since the net-of-subsidy price generally differs across facilities, allowance trading will not bring about equality of marginal abatement costs across facilities; hence gains from trades are compromised. This limitation to the gains from trade does not occur under C&T. Third, the subsidy further compromises cost-effectiveness when multiple benchmarks are employed. Multiple benchmarks add to costs by affecting the relative strength of

the subsidy across different covered facilities, thereby distorting the relative contributions of different facilities to emissions abatement. The TPS's costs are about 18 percent higher in our central case's 3-benchmark system than in an equally stringent single-benchmark system.

These multiple impacts combine to produce the higher overall costs of the TPS. In our central-case numerical simulation, the costs of the TPS are 47 percent higher than under C&T. To our knowledge, this study is the first to identify these three channels and quantify their impact.

In addition to yielding different overall cost impacts, the TPS and C&T produce quite different distributional consequences. Because producers make less use of the output-reduction channel under the TPS, aggregate output is reduced less under the TPS than under C&T and electricity prices rise by a smaller amount. Hence electricity producers shift less of their compliance costs to consumers, and the share of the overall economic burden borne by consumers is smaller under the TPS than under C&T.

To address distributional concerns, China's TPS will apply different benchmarks to different power plants. The especially emissions-intensive coal-fired power plants will receive higher (less stringent) benchmarks in order to avoid what would be exceptionally high compliance costs if they faced the same benchmarks as other generators. The planners have been giving serious consideration to a 3-benchmark system. We find that although this system would reduce the TPS's cost-disparities significantly relative to a 1-benchmark system, it would still produce quite different cost-impacts across the Chinese provinces, reflecting regional differences in the composition of generation technologies. Provinces in the northern and northeastern regions of the country would face the largest percentage reductions in profits. An alternative, 4-benchmark system that "customizes" the benchmarks successfully avoids exceptional cost-impacts in some areas. However, achieving this distributional objective lowers profits in other regions of the country and involves higher aggregate policy costs. Under central case parameter values, the increase in aggregate cost is five percent.

Economists have reason to applaud China's decision to reduce CO<sub>2</sub> through an emissions pricing instrument as well as its plan to move from a group of provincial or municipal pilot programs to an integrated nationwide program. The TPS may not be as cost-effective as C&T, but its reliance on emissions pricing and its wide geographical scope can help achieve emissions reductions on a broad scale at relatively low cost. Also, the TPS has certain attractions relative to C&T. Its rate-based structure implies that policy stringency adjusts automatically in response to changes in macroeconomic conditions. And the fact that it brings about smaller increases in

electricity prices implies that it would cause less emissions leakage. The smaller price increase could also be an attraction in terms of fairness and political feasibility. Another potential attraction – at least to some interested parties -- is the fact that Chinese planners are more familiar with intensity-based regulation.

It is important to note that despite the fact that its costs are higher than those of C&T, the TPS can generate significant net gains once environmental benefits are counted. If CO<sub>2</sub> emissions reductions are valued at 290 RMB (or about 44 U.S. dollars) per ton, our central case results indicate that the environmental benefits from the TPS would exceed the policy costs by a factor of about 3. In addition to reducing CO<sub>2</sub> emissions, the TPS would also reduce several air pollutants whose emissions are correlated with CO<sub>2</sub> emissions. Accounting for the reductions in air pollution and associated health benefits would raise the benefit-cost ratio considerably.

Some caveats are in order. First, although we have been fortunate to gain access to important data through our contacts in China, we still faced some limitations in available data, and we have needed to calibrate or borrow others' estimates of important parameters rather than estimate them econometrically. Yet the robustness of our results leads us to believe that the key insights from this study would not change significantly with better data. Second, ours is a one-period model. Hence it does not capture investment decisions and associated changes to capital stocks, though it accounts for shutdowns. We would expect that in a multi-period model, the results would show a similar pattern but be amplified. Specifically, we would expect that the use of multiple benchmarks would imply larger sacrifices of cost-effectiveness, as multiple benchmarks would distort investment decisions in addition to the output decisions captured in the current model. We would also expect that the differences between the costs of the TPS and C&T would be widened in a model with investment decisions, as the implicit output subsidy of the TPS would cause investment decisions to be less efficient than those under C&T.

We believe this study's findings can significantly help Chinese planners arrive at designs for the TPS that achieve distributional goals with the least additional aggregate cost. They bring out hitherto unrecognized channels of impact of the TPS, and they offer unique quantitative estimates of the wide-ranging impacts of China's planned TPS system and the magnitude of these impacts relative to those of C&T.

The findings should be of value to the broader policy community as well. They reveal the key channels that cause the impacts of a TPS to differ from those of C&T, in terms of both cost-effectiveness and distribution. These results should be useful to the many regional and national

jurisdictions that are considering rate-based, mass-based, and other ways to achieve reductions in emissions of CO<sub>2</sub> and other pollutants.

## References

- Bovenberg, A. Lans, and Lawrence H. Goulder, 2001. "Neutralizing the Adverse Industry Impacts of CO<sub>2</sub> Abatement Policies: What Does It Cost?" in C. Carraro and G. Metcalf, eds., *Behavioral and Distributional Effects of Environmental Policies*, University of Chicago Press.
- Burtraw, Dallas, Karen Palmer, Ranjit Bharvirkar, and Anthony Paul, 2002. "The Effect on Asset Values of the Allocation of Carbon Dioxide Emission Allowances." Discussion Paper 02-15, Resources for the Future, Washington, DC.
- Burtraw, Dallas, and Karen Palmer, 2007. Compensation Rules for Climate Policy in the Electricity Sector. Discussion Paper 07-41, Resources for the Future, Washington, DC.
- Duan, Maosheng and Li Zhou, 2017. "Key Issues in Designing China's National Carbon Emissions Trading System." *Economics of Energy & Environmental Policy* 6(2).
- Fischer, Carolyn, 2001. "Rebating Environmental Policy Revenues: Output-Based Allocations and Tradable Performance Standards." RFF Discussion Paper 01-22.
- Fischer, Carolyn, Biao Mao, and Daniel Shawhan, 2018. "Trade between Mass- and Rate-based Regulatory Regimes: Bad for Emissions?" *Energy Economics*, vol. 73, pp. 326-336.
- Fischer, Carolyn, and Richard G. Newell, 2008. "Environmental and Technology Policies for Climate Mitigation." *Journal of Environmental Economics and Management* 55:142-162.
- Fischer, Carolyn, and A. K. Fox, 2012. "Comparing Policies to Combat Emissions Leakage: Border Tax Adjustments versus Rebates." *Journal of Environmental Economics and Management* 64(2): 199-216.
- Fowlie, Meredith, 2012. "Updating the Allocation of Greenhouse Gas Emissions Permits in a Federal Cap-and-Trade Program. In Don Fullerton and Catherine Wolfram, eds., *The Design and Implementation of U.S. Climate Policy*. University of Chicago Press.
- Fowlie, Meredith, Mar Reguant, and Sesphen P. Ryan, 2016. "Market-based Emissions Regulation and Industry Dynamics." *Journal of Political Economy* 124(1); 249-302.
- Fowlie, Meredith, and Mar Reguant, 2018. "Challenges in the Measurement of Leakage Risk." *AEA Papers and Proceedings* 108:124-129.
- Fullerton, Don, and Gilbert Metcalf, 2001. "Environmental Controls, Scarcity Rents, and Pre-Existing Distortions." *Journal of Public Economics* 80(2):249-267.
- Fullerton, Don, and Daniel H. Karney, 2009. "The Allocation of Permits in U.S. Climate Change Legislation." *The Economists' Voice* 6(12), January.

Goulder, Lawrence H., Marc A.C. Hafstead, and Michael Dworsky, 2010. “Impacts of Alternative Emissions Allowance Allocation Methods under a Federal Cap-and-Trade Program.” *Journal of Environmental Economics and Management* 60, pp. 161-181.

Goulder, Lawrence H., and Ian W.H. Parry, 2008. “Instrument Choice in Environmental Policy,” *Review of Environmental Economics and Policy* 2(2), Summer 2008, pp. 152–174.

Goulder, Lawrence H., Marc A. C. Hafstead, and Robertson C. Williams III, 2016. “General Equilibrium Impacts of a Federal Clean Energy Standard.” *American Economic Journal: Economic Policy* 8(2):186-218.

Goulder, Lawrence H. and Richard D. Morgenstern, 2018. “China's Rate-Based Approach to Reducing CO<sub>2</sub> Emissions: Attractions, Limitations, and Alternatives,” *AEA Papers and Proceedings*, May 2018 vol. 108, pp. 458-62.

Haites, Erik, 2003. “Output-Based Allocation as a Form of Protection for Internationally Competitive Industries.” *Climate Policy* 3:S29-S41.

Ho, Mun S., Zhongmin Wang, and Zichao Yu, 2017. “China’s Power Generation Dispatch.” RFF Report, April.

Holland, Stephen P., Jonathan E. Hughes, and Christopher R. Knittel, 2009. “Greenhouse Gas Reductions under Low Carbon Fuel Standards?” *American Economic Journal: Economic Policy* 1(1).

Interagency Working Group on the Social Cost of Carbon, 2016. “Technical Update of the Social Cost of Carbon for Regulatory Impact Analysis under Executive Order 12866.” Technical Support Document, Environmental Protection Agency, Washington DC.

Kahrl, Friedrich, Max Dupuy, and Xuan Wang, 2016. “Issues in China Power Sector Reform: Generator Dispatch.” Regulatory Assistance Project Discussion Paper, July.

Karplus, Valerie and Xiliang Zhang, 2017. “Incentivizing Firm Compliance with China’s National Emissions Trading System.” *Economics of Energy and Environmental Policy* 6(2).

Kerr, Suzi, and Richard G. Newell, 2003. “Policy-Induced Technology Adoption: Evidence from the US Lead Phasedown.” RFF Discussion Paper 01-14, May.

Metcalf, Gilbert E., 2019. “On the Economics of a Carbon Tax for the United States.” In Janice Eberly and James Stock, eds., *Brookings Papers on Economic Activity*, Fall, 405-58.

Parry, Ian W. H., 2003. “Fiscal Interactions and the Case for Carbon Taxes over Grandfathered Carbon Permits,” *Oxford Review of Economic Policy* 19, pp. 385-399.

Parry, Ian, Baoping Shang, Philippe Wingender, Nate Vermon, and Tarun Narasimhan, 2016. “Climate Mitigation in China: Which Policies Are Most Effective?” IMF Working Paper WP/16/148, International Monetary Fund.

Parry, Ian W.H., and Alan J. Krupnick, 2011. “Is a Clean Energy Standard a Good Way to Move U.S. Climate Policy Forward?” *Resources for the Future Issues Brief*, 11-04, April.

Pizer, William A. and Xiliang Zhang, 2018. “China’s New National Carbon Market,” *AEA Papers and Proceedings* 108:463-67.

Stavins, Robert N., 2019. “The Future of U.S. Carbon-Pricing Policy.” In Matthew Kotchen, James H. Stock, and Catherine Wolfram, eds., *Environmental and Energy Policy and the Economy* 1, University of Chicago Press, forthcoming.

Teng, Fei, Frank Jotzo, and Xin Wang, 2017. “Interactions between Market Reform and a Carbon Price in China’s Power Sector.” *Economics of Energy & Environmental Policy* (2).

Yang, L.; Lin, B., 2016. “Carbon Dioxide Emission in China’s Power Industry: Evidence and Policy Implications.” *Energy Rev.* 60, pp. 258–267.

Zhang, Junjie, Zhenxuzn Wang, and Xinming Du, 2017. “Lessons Learned from China’s Regional Carbon Market Pilots.” *Economics of Energy & Environmental Policy* (2).

**Table 1: Production Levels, Production Costs, Emissions Intensities and Emissions**

Technology Category	Technology Class	Number of Units	Annual Electricity Production (million mWh)	Mean Facility's Production Cost (million RMB)	Average Emissions Intensity (tCO <sub>2</sub> /mWh)	Annual CO <sub>2</sub> Emissions (million tCO <sub>2</sub> )
<i>Coal-Fired Units</i>						
	C1 - 1000MW Ultra-supercritical Units	74	363.8 (11.6)	923.27	0.802	291.8 (10.7)
	C2 - 600MW Ultra-supercritical Units	55	187.4 (6.0)	971.36	0.827	155.0 (5.7)
	C3 - 600MW Supercritical Units	210	641.5 (20.5)	779.41	0.867	556.1 (20.4)
	C4 - 300MW Supercritical Units	63	98.1 (3.1)	324.67	0.868	85.1 (3.1)
	C5 - 600MW Subcritical Units	130	359.0 (11.5)	626.62	0.907	325.6 (11.9)
	C6 - 300MW Subcritical Units	499	836.7 (26.7)	479.57	0.894	748.0 (27.4)
	C7 - High/Ultra-high Pressure and Lower Pressure Units (with installed capacity less than 300MW)	930	353.3 (11.3)	120.00	1.006	355.4 (13.0)
<i>Circulating Fluidized Bed Units</i>						
	C8 - Circulating Fluidized Bed Units (with installed capacity greater than or equal to 300MW)	57	71.1 (2.3)	400.00	0.971	69.0 (2.5)
	C9 - Circulating Fluidized Bed Units (with installed capacity less than 300MW)	229	89.2 (2.8)	106.57	1.081	96.5 (3.5)
<i>Gas-Fired Units</i>						
	C10 - F-class Gas-fired Units	73	99.7 (3.2)	382.10	0.372	37.1 (1.4)
	C11 - Gas-fired Units with Pressure Lower than F-class	72	31.4 (1.0)	106.23	0.422	13.3 (0.5)
<b>All Units</b>		<b>2392</b>	<b>3,131.1 (100.0)</b>			<b>2,732.9 (100.0)</b>
<i>Note:</i> In the fourth and seventh columns, the numbers in parentheses are percentages of the totals for each column.						



**Table 2: Baseline Production and Prices by Province, 2016\***

Province	Number of Units	Administered-Priced Production				Market-Priced Production				Total Production
		Guaranteed-Hour Production	Guaranteed Hour Price	Production Sold to Zone	Administered Price	Direct Contracting Production	Direct Contracting Price	Production Sold to Grid Companies	Grid Company Price	
Anhui	62	85.5	0.369	21.2	0.448	30.8	0.347	8.3	0.426	145.9
Beijing	16	10.3	0.352	2.6	0.411	1.0	0.329	0.3	0.388	14.1
Chongqing	24	27.0	0.380	6.7	0.456	10.0	0.368	2.7	0.434	46.3
Fujian	59	68.4	0.374	17.0	0.448	23.8	0.369	6.4	0.426	115.6
Gansu	44	20.1	0.298	5.0	0.372	30.7	0.276	8.3	0.350	64.1
Guangdong	214	156.8	0.451	38.9	0.458	85.4	0.357	23.0	0.435	304.1
Guangxi	24	2.1	0.414	0.5	0.458	33.4	0.369	9.0	0.435	45.0
Guizhou	46	51.7	0.336	12.8	0.458	22.9	0.335	6.2	0.435	93.5
Hainan	14	10.7	0.420	2.7	0.458	3.5	0.398	0.9	0.435	17.8
Hebei	134	91.9	0.357	22.8	0.411	33.1	0.348	8.9	0.388	156.7
Heilongjiang	77	28.2	0.372	7.0	0.423	10.2	0.345	2.7	0.401	48.1
Henan	120	91.4	0.355	22.7	0.456	46.4	0.338	12.5	0.434	173.0
Hubei	28	29.1	0.398	7.2	0.456	10.3	0.381	2.8	0.434	49.4
Inner Mongolia	191	126.7	0.290	31.4	0.423	72.3	0.268	19.4	0.401	249.9
Jiangsu	243	140.9	0.378	34.9	0.448	86.4	0.369	23.2	0.426	285.4
Jiangxi	28	33.2	0.399	8.2	0.456	12.0	0.396	3.2	0.434	56.7
Jilin	44	33.6	0.372	8.3	0.423	12.1	0.363	3.3	0.401	57.4
Liaoning	78	49.3	0.369	12.2	0.423	26.0	0.352	7.0	0.401	94.5
Ningxia	38	39.7	0.260	9.8	0.372	14.3	0.237	3.8	0.350	67.7
Qinghai	4	2.0	0.325	0.5	0.372	1.3	0.303	0.3	0.350	4.1
Shaanxi	75	50.1	0.335	12.4	0.372	24.7	0.312	6.6	0.350	93.9
Shandong	312	146.6	0.373	36.4	0.411	52.9	0.351	14.2	0.388	250.1
Shanghai	42	52.7	0.405	13.1	0.448	15.9	0.383	4.3	0.426	85.9
Shanxi	111	76.6	0.321	19.0	0.411	26.9	0.306	7.2	0.388	129.8
Sichuan	39	32.0	0.401	7.9	0.456	11.5	0.379	3.1	0.434	54.6
Tianjin	26	23.1	0.351	5.7	0.411	7.8	0.329	2.1	0.388	38.7
Xinjiang	72	46.0	0.262	11.4	0.372	16.4	0.240	4.4	0.350	78.2
Yunnan	33	31.2	0.336	7.7	0.458	11.3	0.314	3.0	0.435	53.2
Zhejiang	194	156.7	0.415	38.9	0.448	48.8	0.389	13.1	0.426	257.5
<b>Total</b>	<b>2392</b>	<b>1713.8</b>	<b>0.367</b>	<b>425.0</b>	<b>0.433</b>	<b>782.1</b>	<b>0.340</b>	<b>210.2</b>	<b>0.411</b>	<b>3131.1</b>
* Units for production data are millions of mWh. Units for price data are RMB/kWh										

**Table 3: Impacts of Tradable Performance Standard and Cap & Trade – The Central Case**

	<b>Baseline</b>	<b>TPS</b>	<b>C&amp;T</b>
<b>Benchmarks (tCO<sub>2</sub>/mWh)</b>			
-- Coal-fired (technology classes 1-7)		0.864	Allowance Allocations Matching TPS Allocations
-- CFB (technology classes 8 and 9)		1.006	
-- Gas-fired (technology classes 10 and 11)		0.374	
<b>Emissions (million tCO<sub>2</sub>)</b>	2732.88	2648.22	2648.22
-- change from baseline		-84.65	-84.65
-- <i>change from units that shut down</i>		-20.98	-3.76
-- <i>change from units that remain and increase supply</i>		-38.91	0
-- <i>change from units that remain and reduce supply</i>		-24.76	-80.89
-- percentage change from baseline		-3.1	-3.1
<b>Allowance Price (RMB)</b>		225.89	133.39
<b>Allowances Traded (million tCO<sub>2</sub>)</b>		56.91	56.88
<b>Aggregate Electricity Supply (million kWh)</b>	3131149	3112288	3073229
-- change from baseline		-18860	-57919
-- <i>change from units that shut down</i>		-20897	-3747
-- <i>change from units that remain and increase supply</i>		3578	0
-- <i>change from units that remain and reduce supply</i>		-1540	-54172
-- percentage change from baseline		-0.60	-1.85
<b>Electricity Price (RMB/kWh)</b>			
-- average electricity price	0.372	0.374	0.379
-- <i>marketed electricity in intraprovincial market</i>	0.340	0.346	0.363
-- <i>administered electricity in intraprovincial market</i>	0.367	0.367	0.367
-- <i>marketed electricity in interprovincial market</i>	0.411	0.417	0.432
-- <i>administered electricity in interprovincial market</i>	0.433	0.433	0.433
<b>Private Cost (million RMB)</b>		8387	4445
-- change in Consumer Surplus		-6062	-20465
-- change in Producer Surplus		-2325	16019
<b>Private Cost per Ton of Reduced Emissions (RMB/tCO<sub>2</sub>)</b>		99.07	52.52
<b>Environmental Benefit (million RMB)</b>		24548.5	24548.5

**Table 4: Impacts on Generators' Market Status**

Technology Category	Technology Class	Market Status, TPS					Market Status, C&T				
		Initially in Compliance?	Policy Response <i>(percentage of generators in each category)</i>			Initially in Compliance?	Policy Response <i>(percentage of generators in each category)</i>				
			Shut Down	Operate and Purchase Allowances	Operate and Sell Allowances		Shut Down	Operate and Purchase Allowances	Operate and Sell Allowances		
<i>Coal-Fired Units</i>											
	C1	Y	0	0	100	Y	0	0	100		
	C2	Y	0	0	100	Y	0	0	100		
	C3	Y	0	0	100	N	0	0	100		
	C4	Y	0	0	100	N	0	0	100		
	C5	N	0.07	99.93	0	N	0	100	0		
	C6	N	0.02	99.98	0	N	0	92.99	7.01		
	C7	N	5.62	94.38	0	N	1.05	98.95	0		
<i>Circulating Fluidized Bed (CFB) Units</i>											
	C8	Y	0	0	100	Y	0	0	100		
	C9	N	0.60	99.40	0	N	0.01	99.99	0		
<i>Gas-Fired Units</i>											
	C10	Y	0	0	100	N	0	0	100		
	C11	N	0.18	99.82	0	N	0.05	99.95	0		

**Table 5: TPS Cost Impacts by Region and Province**

Region/Province	3-Benchmark (Central) Case		4-Benchmark (Subcategorization) Case	
	<i>Change in Profit (million RMB)</i>	<i>Change as Pct of Baseline Profit</i>	<i>Change in Profit (million RMB)</i>	<i>Change as Pct of Baseline Profit</i>
<b>East</b>	<b>1273</b>	<b>0.78</b>	<b>-1257</b>	<b>-0.77</b>
Anhui	590	2.29	-277	-1.07
Shanghai	343	1.87	203	1.11
Jiangsu	26	0.05	-472	-0.91
Jiangxi	258	2.40	-94	-0.88
Zhejiang	54	0.10	-616	-1.10
<b>North</b>	<b>-3615</b>	<b>-3.32</b>	<b>-2436</b>	<b>-2.24</b>
Beijing	-46	-2.40	-27	-1.42
Tianjin	33	0.53	-89	-1.39
Shanxi	-430	-2.85	-239	-1.59
Shandong	-1889	-4.98	-856	-2.26
Hebei	-683	-2.99	-118	-0.52
Inner Mongolia	-599	-2.42	-1105	-4.45
<b>Central</b>	<b>45</b>	<b>0.12</b>	<b>-36</b>	<b>-0.10</b>
Hubei	34	0.35	-15	-0.16
Henan	11	0.04	-21	-0.08
<b>South</b>	<b>489</b>	<b>0.49</b>	<b>-482</b>	<b>-0.49</b>
Guangdong	190	0.28	-240	-0.36
Guangxi	2	0.04	-42	-0.54
Fujian	325	1.61	-170	-0.85
Hainan	-29	-0.73	-29	-0.73
<b>Southwest</b>	<b>-581</b>	<b>-1.39</b>	<b>-1143</b>	<b>-2.73</b>
Chongqing	67	0.75	-31	-0.35
Sichuan	-269	-2.53	-284	-2.67
Guizhou	-240	-1.70	-447	-3.16
Yunnan	-138	-1.70	-380	-4.67
<b>Northwest</b>	<b>863</b>	<b>3.22</b>	<b>402</b>	<b>1.50</b>
Shaanxi	-12	-0.10	-466	-4.02
Gansu	364	7.55	520	10.80
Ningxia	232	4.73	104	2.13
Qinghai	-8	-2.13	32	8.50
Xinjiang	286	5.62	211	4.14
<b>Northeast</b>	<b>-801</b>	<b>-2.62</b>	<b>-383</b>	<b>-1.25</b>
Heilongjiang	-653	-9.32	-351	-5.00
Jilin	-107	-1.17	7	0.08
Liaoning	-40	-0.28	-39	-0.27
<b>Total</b>	<b>-2325.0</b>	<b>-0.46</b>	<b>-5338.0</b>	<b>-1.05</b>

**Table 6: Impacts under Alternative Supply and Demand Elasticities**

	Supply Elasticity			Demand Elasticity		
	0	.22 (central case)	0.44	-0.15	-0.3 (central case)	-0.45
<b>TPS</b>						
Percent Reduction in Emissions	-3.15	-3.1	-3.06	-2.95	-3.1	-3.18
<i>share from reduced emissions intensities (%)</i>	74.2	74.9	75.2	79.2	74.9	72.8
<i>share from compositional changes (%)</i>	3.1	3.5	3.8	3.2	3.5	3.6
<i>share from reduced output (%)</i>	22.7	21.7	21.0	17.7	21.7	23.6
Percent Increase in Average Electricity Price	0.67	0.01	0.56	0.91	0.62	0.48
Private Cost	8389	8387	8374	8459	8387	8360
change in Consumer Surplus	-6635	-6062	-5645	-9674	-6062	-4399
change in Producer Surplus	-1754	-2325	-2728	1215	-2325	-3961
<b>C&amp;T</b>						
Percent Reduction in Emissions	-3.15	-3.1	-3.06	-2.95	-3.1	-3.18
<i>share from reduced emissions intensities (%)</i>	74.2	37.3	27.3	43.4	37.3	35.0
<i>share from compositional changes (%)</i>	3.1	2.4	2.5	2.0	2.4	2.5
<i>share from reduced output (%)</i>	22.7	60.3	70.2	54.6	60.3	62.5
Percent Increase in Average Electricity Price	0.67	1.99	2.29	3.39	1.99	1.45
Private Cost	8389	4452	2560	4070	4452	4658
change in Consumer Surplus	-6637	-20465	-23528	-36482	-20465	-14286
change in Producer Surplus	-1751	16019	20967	32411	16019	9628

**Figure 1: Sources of Emissions Reductions under the TPS and C&T**





Figure 2: Benchmark Variation and TPS Cost per Ton Reduction in Emissions




Figure 3: TPS and C&T Costs under Varying Policy Stringencies

